


# JINLING ELECTRONICS

CONNECTOR INTEGRATED  
APPLICATION SOLUTION  
PROVIDER

2023版



## 锦凌电子

连接器整体应用解决方案提供商



ISO9001:2015 IATF 16949:2016

**JILN**<sup>®</sup>

# 锦凌简介

连接器整体应用解决方案提供商  
Connector integrated application solution provider

锦凌电子是一家连接器整体应用解决方案提供商，专业从事精密连接器、工业端子台及线缆组合的生产与制造。经过近二十年的发展，锦凌拥有技术精良的产品研发队伍及管理团队，其产品自主创新研发专利超150项，锦凌电子目前共拥有6大生产基地，主要分布在中国深圳、东莞地区，为全球市场供应优质、高效的连接器产品。

锦凌电子的连接器产品广泛应用于工业控制及自动化设备、光伏逆变器系统、LED光电、5G通讯、新能源汽车三电系统、轨道交通等30多个应用场景及领域，其产品种类多种多样，主要包括：小间距板对板、浮动式板对板、接线端子、空手插连接器、大电流电源座、锂电池座、排针排母、矩形浮动储能连接器、伺服电机防水插座等。并且我们还在持续研发新的连接器产品，以满足全球市场的需求。此外，锦凌连接器的品质始终坚持以科技领先为主要方向，目前已通过：IATF-16949及ISO9001-2015质量管理体系认证；ISO14001-2015环境管理体系认证，ISO45001-2018职业健康安全管理体系；连接器、端子台、线材产品已通过美国UL安规认证（E362810、E472355、E484895）及CE认证。

锦凌电子是国家高新技术企业，先后荣获国家级专精特新“小巨人”、深圳市连接器产品“十佳供应商”、CMCD运动控制领域“优秀供应商品牌”、深圳知名品牌企业、深圳市连接器行业协会副会长单位等多项荣誉和奖项。锦凌电子以可持续发展为方针，产品的质量严格按照国家“有害物质限量”标准，并荣获“中国绿色环保产品”的称号。在未来，锦凌电子将持续深化全球化布局，构建世界领先的设计制造、技术服务平台，推动世界互连，锦凌电子期待与您携手共赴产业升级之路。

我们的经营理念：与客户共赢、与奋斗者共享、与科技发展共进。

我们的经营改革：质量第一、客户至上、精益求精、群策群力。

我们的服务理念：围绕客户提供专业、专人、专项服务，为客户搭建放心可靠的一站式连接器整体应用解决方案平台

我们的企业使命：为客户创造价值、为员工创造机遇、为科技强国贡献力量。



## COMPANY INTRODUCTION

Jinling Electronics is a connector integrated application solution provider, specializing in the production and manufacturing of precision connectors, industrial terminal blocks and cable combinations. After nearly 20 years of development, Jinling has a sophisticated product R&D team and management team, and its product independent innovation R&D patents exceed 100. Jinling Electronics currently has a total of 6 production bases, mainly located in Shenzhen and Dongguan, China, providing high-quality and efficient connector products for the global market.

The connector products of Jinling Electronics are widely used in more than 30 application scenarios and fields such as industrial control and automation equipment, photovoltaic inverter energy storage system, LED photoelectricity, 5G communication, new energy automobile three electricity system, rail transit, etc. The product categories are diverse, mainly including: small pitch plate to plate, floating plate to plate, terminal blocks, gold finger connectors, large current power supply base, lithium battery base, pin and bus, Rectangular floating energy storage connector, servo motor waterproof socket, etc. We are also continuing to develop new connector products to meet the needs of the global market. In addition, the quality of Jinling Connector always adheres to the scientific and technological leadership as the main direction. At present, it has passed the IATF-16949 and ISO9001-2015 quality management system certification; ISO14001-2015 Environmental Management System Certification, ISO45001-2018 Occupational Health and Safety Management System; Connectors, terminal blocks and wire products have passed the US UL safety certification (E362810, E472355, E484895) and CE certification.

Jinling Electronics is a national high-tech enterprise and a national level "small giant" specializing in special new products. It has won more than ten honors and awards, including "Top 10 LED Display Display Suppliers" of Shenzhen connector products, "Excellent Supply Chain Brand" in the CMCD motion control field, and the vice president unit of Shenzhen connector industry. Jinling Electronics adheres to the principle of sustainable development. The quality of its products strictly complies with the national standard of "Limit of Harmful Substances", and it has won the title of "China's Green Environmental Protection Product" and "Quality Trustworthy Product". In the future, Jinling Electronics will continue to deepen its global layout, build a world leading design and manufacturing, technical service platform, and promote world connectivity. Jinling Electronics looks forward to working with you on the road to industrial upgrading.


Our business philosophy: win-win with customers, share with drivers, and advance with scientific and technological development.

Our business strategy: quality first, customer first, excellence, team work.

Our service concept: provide professional, dedicated and special services around customers, and build a reliable one-stop connector overall application solution platform for customers.

Our Enterprise mission: create value for customers, create opportunities for employees, and contribute to the power of science and technology.

## 组织结构图(ORGANIZATION CHART)





## 公司历程

2004年7月在深圳宝安西乡成立：深圳市锦凌电子有限公司。

2005年6月通过CQC公司的ISO9001质量体系认证及ISO14001环境体系认证。

2006年3月在深圳宝安石岩成立：深圳市科特精密五金塑胶有限公司。

2007年公司成功注册“JILN”品牌商标。

2008年1月获中国名牌产品市场保护委员会评为质量信得过产品，证书编码：ZX-01553。

2008年4月获国际绿色环保管理委员会评为“绿色环保产品”。证书编号：GP-031928。

2008年11月公司获三项产品专利，并获得深圳市优秀企业。

2009年12月在深圳光明长圳成立深圳市吉凌电子科技有限公司，专注于模具研发与注塑成型。

2010年8月成立东莞市钦腾电子有限公司；专业于线端系列的生产与加工。

2011年全面导入ERP管理系统。

2012年9月主要产品，端子台、排针、排母、筒牛、牛角、IDC、圆孔、欧式插座、线材等系列通过美国UL安规认证。(认证号：UL NO.:E362810/UL NO.:E472355/UL NO.:E484895)。

2013年11月成立FFC、扁平线事业部。

2014年8月通过3C认证并在国外成功注册JILN商标。

2014年12月公司获7项产品专利，同时通过深圳市高新技术企业认定，并获得相关荣誉证书。

2015年6月获得深圳市连接器协会副会长单位与诚信企业称号。

2016年7月UL授权认可机构及目击实验室。

2016年10月获得十佳LED显示屏企业最具价值配套品牌称号，并获得荣誉证书。

2017年5月通过IATF16949体系认证。

2017年6月规划建设东莞清溪自有锦凌工业园区。

2017年8月通过国家级高新技术企业，证书编号：GR2017 4420 1012。

2018年10月荣获深圳市诚信企业证书，证书编号：00390。

2018年12月评为慈溪·深圳商会优秀企业单位及副会长单位。

2019年2月荣获国家知识产权管理体系认证证书。证书编号：18119ID0359ROM。

2020年10月评为智能制造行业协会理事单位。

2021年12月获评为广东省知识产权示范企业。

2022年6月获评为国家级专精特新“小巨人”企业。

2023年3月荣获深圳知名品牌企业

## COMPANY HISTORY

In July of 2004, Shenzhen Jiling Electronics Co., Ltd was established in Xixiang Bao' an, Shenzhen.

In June of 2005, passed the ISO9001:2015 quality management system certification and ISO14001:2015 environmental management system certification.

In March of 2006, Shenzhen Kete Insulator Co., Ltd was established in Shiyao, Bao' an, Shenzhen.

In 2007 "JILN" brand trademark registered.

In January of 2008, win the "National Quality Trustworthy Product" awarded by China Famous Brand Product market protection committee with certification No.: ZX-01553.

In April of 2008, awarded "Green Product" by the International Green Management Committee with certification No.: GP-031928.

In November of 2008, the company obtained three product patents and rated as excellent enterprise in Shenzhen.

In December of 2009, Shenzhen Jiling Electronics Technology Co., Ltd. was established in Guangming Changzhen, specialized in mold development and injection molding.

In August of 2010, Dongguan Qinteng Electronics Co., Ltd was established in Humen Dongguan, which focuses on manufacturing and processing of cables.

In 2011, the ERP management system was fully introduced.

In September of 2012, the main product including Pin header, Female header, Terminal blocks, Box header, Ejector Header and IDC, Machined pin, DIN41612, Flat Cable series have passed American UL safety certification. (UL NO.: E362810/UL NO.: E472355/UL NO.: E484895)

In November of 2013, set up FFC and flat cables department.

In August of 2014, passed 3C certification and registered "JILN" trademark in overseas.

In December of 2014, our company won seven product patents, passed the Hi-tech enterprises of Shenzhen and got the certificate of honor at the same time.

In June of 2015, JILN is the vice-chairman of Shenzhen connector association and attained the "good faith enterprise"

In July of 2016, UL authorized laboratory was established.

In October of 2016, won the title of the most valuable supplier of the top ten LED display enterprises and obtained the certificate of honor.

In May of 2017, passed IATF16949 system certification.

In June of 2017, we set up JILING Industrial Park in Qingxi Dongguan.

In August of 2017, awarded title of National High-tech Enterprise with certification NO.: GR2017 4420 1012.

In October of 2018, was awarded the Shenzhen Integrity Enterprise, certification No.: 00390.

In December of 2018, it was awarded as the Outstanding Enterprise and vice president of Cixi · Shenzhen Chamber of Commerce.

In February of 2019, obtained the National Intellectual Property Management System Certification with certification NO.: 18119ID0359ROM.

In October 2020, it was elected as the director unit of the Intelligent Manufacturing Industry Association.

In December 2021, it was awarded as Guangdong Intellectual Property Demonstration Enterprise.

In June 2022, it was rated as a national specialized and new "title giant" enterprise.

In March 2023, awarded as a well-known brand enterprise in Shenzhen.

# 企业文化

质量第一、客户至上、精益求精、群策群力  
Quality first, Customer first, Excellence, Team work!

## 锦凌电子企业文化

企业使命：为客户创造价值、为员工创造机遇、为科技强国贡献力量  
企业愿景：构建技术领先的连接器一站式配套服务平台。  
经营理念：与客户共赢、与奋斗者共享、与科技发展共进。  
经营政策：质量第一、客户至上、精益求精、群策群力。  
品牌定位：中国连接器行业领导品牌。  
企业价值观：德才兼备，合作共赢，精益求精，感恩奉献。

## JINLING ELECTRONICS ENTERPRISE CULTURE

Enterprise mission: create value for customers, create opportunities for employees, and contribute to the power of science and technology.  
Enterprise vision: to build a one-stop connector supporting service platform with leading technology.  
Business philosophy: win-win with customers, share with strivers, and advance with scientific and technological development.  
Our business strategy: quality first, customer first, excellence, team work!  
Brand positioning: To become the leading brand of the connector industry in China.  
Corporate values: Both ability and political integrity, win-win cooperation, lean innovation, and grateful dedication.

## 企业宗旨

质量第一：回报客户的最好方法就是提供优质产品  
客户至上：始于客户需求，终于客户满意  
群策群力：永远让方法凌驾于问题之上  
协作共赢：胜于合作，赢于配合  
诚信正直：行忠为心，品正为魂  
服务理念：围绕客户提供专业、专人、专项服务，为客户搭建放心可靠的一站式连接器整体应用解决方案平台  
管理方针：高标准、高效率、高品质  
经营方针：质量第一、客户至上、精益求精、共创共赢  
经营理念：与客户共赢、与奋斗者共享、与科技发展共进。  
锦凌文化：职业化团队、学习型组织、幸福大家庭。

## ENTERPRISE PURPOSES:

Quality first: The best way to return customers is to provide quality products.  
Customer first: starting with customer needs, finally with satisfaction.  
Team work: always let the method to solve the problem.  
Collaboration and win-win: Win based on good cooperation and services.  
Integrity: loyalty is the heart, moral integrity is the soul.  
Service concept: provide professional, dedicated and special services around customers, and build a reliable one-stop connector overall application solution platform for customers.  
Management policy: high standards, high efficiency, high quality.  
Business policy: quality first, customer first, excellence, create a win-win situation.  
Business philosophy: win-win with customers, share with strivers, and advance with scientific and technological development.\*  
Company culture: professional team, learning organization, happiness family.







## 荣誉证书

公司通过了ISO9001质量管理体系和ISO14001环境管理体系认证；获得UL、VDE、CQC、CB、SGS、RoHS等多张证书。

## CERTIFICATE OF HONOR

The company passed the ISO9001 quality management system and ISO14001 environmental management system Authentication; access to UL、VDE、CQC、CB、SGS、RoHS and other certificates.



## 主要客户(MAIN CUSTOMER)



HOLLEY

DANUVA

PHILIPS

SIEMENS

Abyen

ADTECH

HIKVISION

invit

ZTE



OMRON

HITACHI

Panasonic

Haier

TOSHIBA

SAMSUNG

LG



中国中车  
CRRC

利亚德  
L. DISPLAY

联建光电  
LianJian Optics

威胜集团  
WINSHENG GROUP



Unilumin 洲明

XJPMF

solar edge

我们有十几年精密组件的研发经验，拥有一支专业的研发工程师队伍，研发部配备了国际最先进的计算机辅助制造系统（CIMS），集设计、制造、分析于一体（CAD、CAM、CAE），我们广泛参与国际间技术交流与合作，为客户提供全套产品开发、制造及加工技术方案。我们的设计团队，已累积近千组精密模具的设计经验，并且不断创新，挑战多元化精密零件制造，开发出最具瞻性的精密模具。



### R & D INNOVATION

With more than 10 years' experience in precise groupware development. We have a professional team of R&D engineers, the R&D department is equipped with the world's most advanced computer auxiliary manufacturing system(CIMS), which combines design,manufacturing and analysis in one system(CAD, CAM, CAE). We take part in international technological exchanges and cooperation activities frequently, and provide customers with complete technological schemes on products development,manufacturing and processing. Our designing team has designing experience for thousands of precise mould--meanwhile,we are keeping on making innovations and challenging in manufacturing multi-functional precise groupware. Finally,we will use all the advantages above to develop the most advanced precise moulds.

### 模具制造技术和工艺

公司斥巨资进瑞士夏米尔和日本沙迪克慢走丝线切割，瑞士夏米尔精密数控电脉冲。高精度数控加工中心，CNC磨床及三次元精密测量仪等近百台世界顶级的模具加工设备，配备了AutoCAD、模流分析等CAD/CAM软件，满足客户相应的要求：模具设计、组立、调试及采购人员均具备丰富经验。每年生产出各类精密模具200多套。

### MOULD PRODUCTION TECHNOLOGY AND ENGINEERING CAPABILITIES

Our company invested heavily in Switzerland Chamilles and Japan SODICK low-speed wire cutting machine, Switzerland Chamilles precision CNC electric pulse machine, High precision CNC machining center,CNC grinding machine and three dimensional precision measuring instrument and other nearly 100 sets of the world's top mould processing equipment, equipped with AutoCAD, mould flow analysis and other CAD/CAM software, to meet the corresponding requirements of customers; mould design, formation, debugging and purchasing staff have rich experience. Every year, we produce more than 200 sets of all kinds of precise moulds.



夏米尔，沙迪克精密 慢走丝线切割机  
Sodick low-speed wire cutting machine Mould production

沙迪克慢走丝线切割8台 Sodick low-speed wire cutting machine(8)	CNC自动放电机5台 CNC electron discharge machine(5)	高精度磨床4台 High Precision milling machine (4)	高精度平面磨床4台 High Precision surface Grinding machine(4)
平面磨床14台 Surface grinding machine(14)	快走丝线切割2台 Fast filum facility machines (2)	中走丝线切割2台 Mesne wire cutting machine(2)	数控精密雕刻机2台 NC precision engraving machine(2)
激光点焊机1台 Laser spot welding(1)	三次元测量仪1台 Three-D measuring machine (1)	三丰高精度投影仪4台 High precision projector(4)	高度测量仪1台 Height test machine(1)



## 精密冲压加工

公司拥有30多台高速冲床，规格从25吨-110吨，采用连续模生产，所有冲压过程都在一套模具内完成，有着很高的效率和精度，可生产的材料包括：黄铜、磷青铜、铍青铜、镍白铜、复合材料、不锈钢等。

### PRECIST STAMPING PROCESSING

Our company has more than 30 sets of different kinds of high-speed metal stamping machines, which exert force between 25-110 tons, the use of continuous die production all stamping process is completed in a set of molds, with high efficiency and accuracy. We can stamp various materials including: brass, phosphorous bronze, beryllium bronze, nickel white copper, composite materials and stainless steel.



高速冲床30台 High-Speed Punch 30sets	冲压模具800套 Stamping mould 800sets
产品种类60000多种 Product category 60000types	日产能400万位 Production ability/Day 4million poles





# 领先设备

先进的生产设备是优良产品品质的基础

Advanced production equipments are the basis of good product quality

锦凌拥有现代化的自动化组装车间，产品自动组装机180多台，有多台国际先进水平的全电动精密注塑机等设备，具备了企业强大的生产制造能力。严谨的工艺流程，完善的质保体系，高素质的员工队伍，使我们能够保证在第一时间将优质产品送交客户。

## LEADING EQUIPMENT

Jinling has a modern automatic assembly workshop, more than 180 automatic assembly machines, and many international advanced all-electric precision injection moulding machines and other equipments, which ensure Jinling to be an enterprise with a strong production and manufacturing capacity. Strict process flow, perfect quality assurance system and high-qualified staff make it possible for us to ensure that high-quality products are delivered to customers at the first time.





### 整洁的中央空调生产车间为员工创造良好的工作环境

Clean central air conditioning production workshop creates a good working environment for our staff.



CCD卷带包装机  
CCD T&R Packing



导电电测  
Conduction Electric Testing



真空包装  
Vacuum Packing



恒温仓库  
Constant Temperature Warehouse

### 精密注塑加工

#### PRECISE INJECTION PROCESSING



塑胶射出成型区  
Injection Molding Workshop



塑胶射出成型区  
Injection Molding Workshop

精密注塑机 Precision Injection Machine	45台 45sets
精密模具 Injection Mould	1000套 1000sets
产品种类 Product Category	60000多种 60000types
日产能 Production Ability/day	400万位 4 million Units



# 品质控制


专业的检测设备全方位完美保证产品质量

Professional testing equipment perfectly guarantees product quality in an all-round way.


品质、服务、诚信一直是我们不断追求完善的企业理念，并且始终贯穿于产品研发、设计、生产制造。公司置产品质量，服务于重要位置，运作过程中贯彻严格的品质保证体系，在进料和生产过程中，我们贯彻全面质量控制，从原材料的采购到制造，产品出货及售后服务，每个流程和工站，均有严格的成品检验与管制。公司深信，持续的教育培训将带给员工更大的发展，并与技术领域的最新进展保持一致，最终带给客户品质始终如一的产品。

## QUALITY CONTROL

Quality, service and integrity are always the corporate philosophy we constantly pursue to improve. And this philosophy is always in our R&D, designing and manufacturing of products. We place strong emphasis on quality of our products and services, with a stringent quality assurance system in each operation processes, we also service with strict inspection and control of finished products. We believe continuous education and training will lead to greater development of employees and keep pace with the latest advances in the field of technology, then ultimately bring customers products of consistent quality.










维氏硬度仪  
Vickers Hardness Tester














投影仪  
Vertical Projector














- (1) 2.5次元测试仪  
VMS tester
- (2) 端子截面分析仪  
Terminal section analyzer
- (3) 使用寿命测试仪  
Service Life Tester
- (4) 盐雾测试仪  
Salt Spray Tester
- (5) 机械振动测试仪  
Mechanical Vibration Tester
- (6) 耐高压绝缘测试仪  
High Voltage Insulation Tester
- (7) 线材摇摆测试仪  
Wire Swing Tester
- (8) I-R回流焊炉  
I-R Solder Reflow Oven
- (9) 气密性检测仪  
Air-leakage detector
- (10) 冷热冲击试验箱  
Thermal shock test chamber
- (11) 线材拉力测试机  
Wire Tensile Testing Machine
- (12) 恒温恒湿测试仪  
Programmable Temp&Humi Tester
- (13) 二氧化硫腐蚀性试验箱  
Sulfur dioxide corrosion test chamber
- (14) UL94水平垂直燃烧试验机  
UL94 horizontal and vertical burning test machine



	0.5/0.6/0.635/0.8/1.0/2.0/2.54mm Pitch Board to Board Connector Series 0.5/0.6/0.635/0.8/1.0/2.0/2.54mm 板对板连接器系列	14~18
	2.00mm Pitch Card Edge Power Connector Series (Female&Male Header) 2.0mm 金手指连接器系列	18~18
	IEEE 1394 Connector Series 1394连接器系列	18~18
	SCSI Connector Series SCSI连接器系列	19~21
	SM-4P/9P waterproof Connector/Servo motor Connector Series SM-4芯/9芯防水连接器/伺服电机连接器系列	21~23
	1.27/1.778/2.0/2.54mm Pitch Machined pin header&female header Series 1.27/1.778/2.0/2.54mm 圆孔连接器系列	23~26
	0.8/1.0/1.27/1.27x2.54/2.0/2.5/2.54/3.96/5.08mm Pitch Pin Header Series 0.8/1.0/1.27/1.27x2.54/2.0/2.5/2.54/3.96/5.08mm 排针连接器系列	26~33
	0.8/1.0/1.27/1.27x2.54/2.0/2.5/2.54/3.96/5.08mm Pitch Female Header Series 0.8/1.0/1.27/1.27x2.54/2.0/2.5/2.54/3.96/5.08mm 排母连接器系列	33~40
	1.27/2.0/2.54/5.08mm Pitch Mini Jumper Series 1.27/2.0/2.54/5.08mm 短路帽连接器系列	41~41
	1.0/1.27/1.27x2.54/2.0/2.54mm Pitch Box Header Connector Series 1.0/1.27/1.27x2.54/2.0/2.54mm 筒牛连接器系列	41~44
	1.27/1.27x2.54/2.0/2.54mm Pitch Ejector Header Connector Series 1.27/1.27x2.54/2.0/2.54mm 牛角连接器系列	44~46
	1.27/1.27x2.54/2.0/2.54mm Pitch IDC/DIP Connector Series 1.27/1.27x2.54/2.0/2.54mm IDC/DIP连接器系列	46~47
	CE/SLOT Connector Series CE/SLOT连接器系列	47~47



	<p>Micro Match/Picoflex 红色IDC/白色IDC</p>	<p>48-48</p>
	<p>PLC Connector Series PLC连接器系列</p>	<p>49-49</p>
	<p>DIN Male/Female 41612 欧式插座连接器系列</p>	<p>49-53</p>
	<p>FUTURE BUS Connector Series FUTURE BUS连接器系列</p>	<p>53-53</p>
	<p>CPCI High Speed Connector Series CPCI 高速连接器系列</p>	<p>53-53</p>
	<p>E-CON Connector Series E-CON连接器系列</p>	<p>53-54</p>
	<p>High Speed Transmission for LED screen/PLCC/IC Socket Connector Series 显示屏高速连接/PLCC/IC扁针连接器系列</p>	<p>54-54</p>
	<p>YFCT Male&amp;YFCS Female Connector Series YFCT公座和YFCS母座连接器系列</p>	<p>55-55</p>
	<p>HCP Power/Battery Connector Series HCP电源座/电池座连接器系列</p>	<p>55-55</p>
	<p>Card Holder Connector Series 卡座连接器系列</p>	<p>55-56</p>
	<p>0.5/1.0/1.25/2.54mm FPC Connector Series 0.5/1.0/1.25/2.54mm FPC连接器系列</p>	<p>56-57</p>
	<p>SATA Female/Male Connector Series SATA 公座/母座连接器系列</p>	<p>57-58</p>
	<p>1.27mm SMC/POGO Pin Connector Series 1.27mm SMC/POGO Pin连接器系列</p>	<p>58-58</p>

	<p>PCI/SFP Shielding cover/PCMC Female/Male Connector Series PCI/SFP屏蔽罩/PCMC连接器系列</p>	<p>59-59</p>
	<p>HDMI+USB+RJ45 Connector Series HDMI+USB+RJ45连接器系列</p>	<p>59-60</p>
	<p>D-SUB Female/Male Connector Series D-SUB 连接器系列</p>	<p>60-61</p>
	<p>Zinc alloy shell Series 锌合金外壳系列</p>	<p>61-62</p>
	<p>Wafer/Housing Female/Male Connector Series Wafer针座/Housing胶壳连接器系列</p>	<p>62-65</p>
	<p>New-Energy and Numerical-Control Connector Series 新能源数控连接器系列</p>	<p>66-67</p>
	<p>Automotive Connector Series 汽车连接器系列</p>	<p>67-67</p>
	<p>Energy Storage Connectors 储能连接器</p>	<p>68-68</p>
	<p>Aviation Socket&amp;Plug Connector Series 航空插座、插头连接器系列</p>	<p>69-70</p>
	<p>Wire Harness/Flat Cable Series 电子线/灰排线系列</p>	<p>71-71</p>
		
		
		





3720系列  
0.5mm 间距 板对板母头连接器  
Spec:0.5mm Pitch Board to Board Connector  
Female  
Height:1.32mm  
Positions:10-80P



3720系列  
0.5mm 间距 板对板公头连接器  
Spec:0.5mm Pitch Board to Board Connector  
Male  
Height:1.32mm  
Positions:10-80P



3720系列  
0.5mm 间距 板对板双面接触公头连接器  
Spec:0.5mm Pitch Board to Board Connector  
Double Contact Male  
Height:0.8/1.0/1.3/2.0mm  
Positions:10-100P



3720系列  
0.5mm 间距 板对板双面接触母头连接器  
Spec:0.5mm Pitch Board to Board Connector  
Double Contact Female  
Height:3.0/3.5/4.0/4.5/5.0/5.5/6.0/6.5mm  
Positions:10-100P



3720系列  
0.5mm 间距 板对板双面接触母头连接器  
Spec:0.5mm Pitch Board to Board Connector  
Double Contact Female  
Height:3.0/3.5/4.0/4.5/5.0/5.5/6.0/6.5mm  
Positions:10-100P



3720系列  
0.5mm 间距 板对板双面接触公头连接器  
Spec:0.5mm Pitch Board to Board Connector  
Double Contact Male  
Height:0.8/1.0/1.3/2.0mm  
Positions:10-100P



3720系列  
0.5mm 间距 板对板双面接触公头连接器  
Spec:0.5mm Pitch Board to Board Connector  
Double Contact Male  
Height:0.8/1.0/1.3/2.0mm  
Positions:10-100P



3720系列  
0.5mm 间距 板对板双面接触母头连接器  
Spec:0.5mm Pitch Board to Board Connector  
Double Contact Female  
Height:3.0/3.5/4.0/4.5/5.0/5.5/6.0/6.5mm  
Positions:10-100P



3720系列  
0.5mm 间距 板对板母头连接器  
Spec:0.5mm Pitch Board to Board Connector  
Double Contact Female  
Height:3.0/3.5/4.0/4.5/5.0/5.5/6.0/6.5mm  
Positions:10-100P



3720系列  
0.5mm 间距 板对板双面接触公头连接器  
Spec:0.5mm Pitch Board to Board Connector  
Double Contact Male  
Height:0.8/1.0/1.3/2.0mm  
Positions:10-100P



3720系列  
0.5mm 间距 板对板母头带定位片连接器  
Spec:0.5mm Pitch Board to Board Connector  
Female With Locating Plate  
Height:2.3/4.3mm  
Positions:10-80P



3720系列  
0.5mm 间距 板对板公头带定位片连接器  
Spec:0.5mm Pitch Board to Board Connector  
Male With Locating Plate  
Height:2.2mm  
Positions:10-80P



3720系列  
0.5mm 间距 板对板公头连接器  
Spec:0.5mm Pitch Board to Board Connector  
Male  
Height:2.2mm  
Positions:10-80P



3720系列  
0.5mm 间距 板对板母头连接器  
Spec:0.5mm Pitch Board to Board Connector  
Female  
Height:2.3/4.3mm  
Positions:10-80P



3727系列  
0.5mm 间距 高速平面板对板连接器母头  
Spec:0.5mm Pitch High-speed Board to Board  
Female Connector  
Height: 4.06mm  
Positions: 60P



3727系列  
0.5mm 间距 高速平面板对板连接器公头  
Spec:0.5mm Pitch High-speed Board to Board  
Male Connector  
Height: 3.25mm  
Positions: 60P



3726系列  
0.5mm 母头高频浮动式BTB  
Spec:0.5mm High Frequency Floating Board  
to Board Female Socket  
Positions:30-120P



3726系列  
0.5mm 公头高频浮动式BTB  
Spec:0.5mm High Frequency Floating Board  
to Board Male Header  
Positions:30-120P



3721系列  
0.6mm 间距 板对板公母连接器  
Spec:0.6mm Pitch Board to Board Connector  
Male and Female  
Height:2.2/2.67mm  
Positions:60/80/100P



3724系列  
0.635mm 间距 浮动式板对板公母连接器  
Spec:0.635mm Pitch Board to Board Connector  
Male and Female  
Height:7.0/13.4mm  
Positions:20-100P



# 板对板连接器系列

## BOARD TO BOARD CONNECTOR SERIES



3724系列  
0.635mm 间距 公头浮动式BTB  
**Spec:**0.635mm High Frequency Floating Board to Board Male Header  
**Positions:**10-100P



3724系列  
0.635mm 间距 母头浮动式BTB  
**Spec:**0.635mm High Frequency Floating Board to Board Female Socket  
**Positions:**10-100P



3722系列  
0.635mm 间距 板对板母头连接器PLC专用  
**Spec:**0.635mm Pitch Board to Board Female Connector For PLC  
**Height:**6.2/14.2/15.7mm  
**Positions:**30/40/50/52P



3722系列  
0.635mm 间距 板对板母头连接器PLC专用  
**Spec:**0.635mm Pitch Board to Board Female Connector For PLC  
**Height:**6.2/14.2/15.7mm  
**Positions:**30/40/50/52P



3722系列  
0.635mm 间距 板对板公头连接器PLC专用  
**Spec:**0.635mm Pitch Board to Board Male Connector For PLC  
**Height:**5.9mm  
**Positions:**30/40/50/52P



3722系列  
0.635mm 间距 板对板公头连接器PLC专用  
**Spec:**0.635mm Pitch Board to Board Male Connector For PLC  
**Height:**5.9mm  
**Positions:**30/40/50/52P



3722系列  
0.635mm 间距 板对板母头连接器PLC专用  
**Spec:**0.635mm Pitch Board to Board Female Connector For PLC  
**Height:**6.2/14.2/15.7mm  
**Positions:**30/40/50/52P



3722系列  
0.635mm 间距 板对板母头连接器PLC专用  
**Spec:**0.635mm Pitch Board to Board Female Connector For PLC  
**Height:**6.2/14.2/15.7mm  
**Positions:**30/40/50/52P



3722系列  
0.635mm 间距 板对板公头连接器  
**Spec:**0.635mm Pitch Board to Board Male Connector  
**Height:**3.9mm  
**Positions:**10-80P



3722系列  
0.635mm 间距 板对板母头连接器  
**Spec:**0.635mm Pitch Board to Board Female Connector  
**Height:**5.0mm  
**Positions:**10-80P



3722系列  
0.635mm 间距 板对板母头连接器  
**Spec:**0.635mm Pitch Board to Board Connector Female  
**Height:**9.0mm  
**Positions:**30-80Pin



3722系列  
0.635mm 间距 板对板公头连接器  
**Spec:**0.635mm Pitch Board to Board Male Connector  
**Height:**3.9mm  
**Positions:**10-80P



3725系列  
0.8mm 浮动式BTB母头  
**Spec:**0.8mm floating Board to Board Connector Female Header SMT  
**Height:**7.0mm  
**Positions:**20-100P



3725系列  
0.8mm 浮动式BTB公头  
**Spec:**0.8mm floating Board to Board Connector Male Header SMT  
**Height:**13.4mm  
**Positions:**20-100P



3711系列  
0.8mm 间距 板对板D型公头连接器  
**Spec:**0.8mm Pitch Board to Board D-type Male Connector  
**Height:**8.0/11.0/12.0/13.0/14.0mm  
**Positions:**20-120P



3711系列  
0.8mm 间距 板对板D型母头连接器  
**Spec:**0.8mm Pitch Board to Board D-type Female Connector  
**Height:**7.4/10.4/11.4/12.4/13.4mm  
**Positions:**20-120P



3711系列  
0.8mm 间距 板对板D型母头连接器  
**Spec:**0.8mm Pitch Board to Board D-type Female Connector  
**Height:**7.4/10.4/11.4/12.4/13.4mm  
**Positions:**20-120P



3711系列  
0.8mm 间距 板对板D型公头连接器  
**Spec:**0.8mm Pitch Board to Board D-type Male Connector  
**Height:**8.0/11.0/12.0/13.0/14.0mm  
**Positions:**20-120P



3713系列  
0.8mm 间距 板对板双面接触公头连接器  
**Spec:**0.8mm Pitch Board to Board Connector Double Contact Male  
**Height:**1.0/2.0mm  
**Positions:**8-100P



3713系列  
0.8mm 间距 板对板双面接触母头连接器  
**Spec:**0.8mm Pitch Board to Board Connector Double Contact Female  
**Height:**4.0/4.5/5.0/5.5/6.0/6.5mm  
**Positions:**8-100P





3713系列  
0.8mm 间距 板对板双面接触公头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Double Contact Male  
Height:1.0/2.0mm  
Positions:8-100P



3713系列  
0.8mm 间距 板对板双面接触母头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Double Contact Female  
Height:4.0/4.5/5.0/5.5/6.0/6.5mm  
Positions:8-100P



3710系列  
0.8mm 间距 板对板公头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Male  
Height:4.6/7.6mm  
Positions:24-140P



3710系列  
0.8mm 间距 板对板母头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Female  
Height:3.7mm  
Positions:24-140P



3710系列  
0.8mm 间距 板对板母头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Female  
Height:7.7/11.7/15.7mm  
Positions:40-120P



3710系列  
0.8mm 间距 板对板公头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Male  
Height:4.6/7.6mm  
Positions:40-120P



3710系列  
0.8mm 间距 板对板母头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Female  
Height:7.7/11.7/15.7mm  
Positions:40-120P



3710系列  
0.8mm 间距 板对板母头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Female  
Height:7.7/11.7/15.7mm  
Positions:40-120P



3710系列  
0.8mm 间距 板对板公头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Male  
Height:4.8mm  
Positions:40P



3710系列  
0.8mm 间距 板对板母头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Female  
Height:5.1mm  
Positions:40P



3710系列  
0.8mm 间距 板对板公头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Male  
Height:4.6/7.6mm  
Positions:24-140P



3710系列  
0.8mm 间距 板对板公头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Male  
Height:4.6/7.6mm  
Positions:24-140P



3710系列  
0.8mm 间距 板对板母头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Female  
Height:3.3/4.3mm  
Positions:50Pin



3710系列  
0.8mm 间距 板对板公头连接器  
Spec:0.8mm Pitch Board to Board Connector  
Male  
Height:6.5mm  
Positions:50Pin



3710系列  
0.8mm 间距 板对板连接器侧插公头  
Spec:0.8mm Pitch Board to Board Male  
Connector  
Height: 3.5mm  
Positions: 20P



3710系列  
0.8mm 间距 板对板连接器侧插母头  
Spec:0.8mm Pitch Board to Board Female  
Connector Side Entry Type  
Height: 4.9mm  
Positions: 20P



3728系列  
0.8mm 间距 高速平面板对板公座连接器  
Spec:0.8mm Pitch High Speed Ground Plane  
Board To Board Male Socket Connector  
Height:3.25mm  
Positions:40P/80P



3728系列  
0.8mm 间距 高速平面板对板母座连接器  
Spec:0.8mm Pitch High Speed Ground Plane  
Board To Board Female Socket Connector  
Height:4.06mm  
Positions:40P/80P



3714系列  
0.8mm 间距 S型板对板连接器公头  
Spec:0.8mm Pitch S-Type Board To Board  
Male Socket Connector  
Height:5.61mm  
Positions:40-100P



3714系列  
0.8mm 间距 S型板对板连接器母头  
Spec:0.8mm Pitch S-Type Board To Board  
Female Socket Connector  
Height:3.3mm  
Positions:40-100P

# 板对板连接器系列

## BOARD TO BOARD CONNECTOR SERIES



3714系列  
0.8mm间距 SA双边缘板对板公座  
**Spec:**0.8mm Pitch SA-TYPE Double-Edge  
Board To Board Male Socket Connector  
**Height:**8.9mm  
**Positions:**30P



3714系列  
0.8mm间距 SA双边缘板对板母座  
**Spec:**0.8mm Pitch SA-TYPE Double-Edge  
Board To Board Female Socket Connector  
**Height:**7.25mm  
**Positions:**30P



3713系列  
1.0mm 间距 板对板母头连接器  
**Spec:**1.0mm Pitch Board to Board Connector  
Female  
**Height:**5.2mm  
**Positions:**64/70/100P



3713系列  
1.0mm 间距 板对板公头连接器  
**Spec:**1.0mm Pitch Board to Board Connector  
Male  
**Height:**6.4/8.3mm  
**Positions:**64/70/100P



3713系列  
1.0mm 间距 板对板公头连接器  
**Spec:**1.0mm Pitch Board to Board Connector  
Male  
**Height:**6.4/8.3mm  
**Positions:**64/70/100P



3713系列  
1.0mm 间距 板对板公头连接器  
**Spec:**1.0mm Pitch Board to Board Connector  
Male  
**Height:**6.4/8.3mm  
**Positions:**64/70/100P



3713系列  
1.0mm 间距 板对板母头连接器  
**Spec:**1.0mm Pitch Board to Board Connector  
Female  
**Height:**10.3mm  
**Positions:**64/70/100P



3712系列  
1.0mm 间距 板对板母头连接器  
**Spec:**1.0mm Pitch Board to Board Connector  
Female  
**Height:**3.3mm  
**Positions:**21/31/41/51P



3712系列  
1.0mm 间距 板对板公头连接器  
**Spec:**1.0mm Pitch Board to Board Connector  
Male  
**Height:**3.3mm  
**Positions:**21/31/41/51P



3714系列  
1.25mm 间距 板对板公母连接器  
**Spec:**1.25mm Pitch Board to Board Connector  
Male and Female  
**Height:**4.0/3.4mm  
**Positions:**4-50P



3714系列  
1.25mm A型BTB 母头/卧贴  
**Spec:**1.25mm Board to Board A type Connector  
Female Socket Right Angle SMT. With Post  
**Height:**4.2mm  
**Positions:**10-100P



3730系列  
2.0mm 间距 板对板母头连接器  
**Spec:**2.0mm Pitch Board to Board Connector  
Female  
**Height:**10.35mm  
**Positions:**2 × 16P-2 × 25P



3730系列  
2.0mm 间距 板对板公头连接器  
**Spec:**2.0mm Pitch Board to Board Connector  
Male  
**Height:**8.25mm  
**Positions:**2 × 16P-2 × 25P



3730系列  
2.0mm间距板对板公头连接器 接触面加长款  
**Spec:**2.0mm Pitch Board to Board Male  
Connector SMT With Extended Contact Surface  
**Height:**14.8mm  
**Positions:**2 × 20P



3730系列  
2.0mm间距板对板母头连接器 接触面加长款  
**Spec:**2.0mm Pitch Board to Board Female  
Connector SMT  
**Height:**13mm  
**Positions:**2 × 20P



3811系列  
2.0BTB专用跳线帽  
**Spec:**Jump Cap For 2.0mm Pitch Board To  
Board Connector  
**Height:**4.4mm  
**Positions:**5P



3730A系列  
2.0间距 板对板连接器母头  
**Spec:**2.0mm Pitch Board To Board Female  
Socket Connector  
**Height:**5.0mm  
**Positions:**2x8P



3730A系列  
2.0间距 板对板连接器公头  
**Spec:**2.0mm Pitch Board To Board Male  
Socket Connector  
**Height:**12.15mm  
**Positions:**2x8P



3740系列  
2.54mm间距板对板母头连接器 SMT  
**Spec:**2.54mm Pitch Board to Board Connector  
SMT Female  
**Height:**10.35mm  
**Positions:**2 × 18P/2 × 23P



3740系列  
2.54mm间距板对板公头连接器 180°  
**Spec:**2.54mm Pitch Board to Board Connector  
Straight Male  
**Height:**17.2mm  
**Positions:**2 × 23P



# 2.0mm金手指连接器系列

2.00mm Pitch Card Edge Power Connector Series (Female&Male Header)

# 1394连接器系列

IEEE1394 CONNECTOR SERIES




**3740A系列**  
2.54间距 板对板连接器母头

**Spec:**2.54mm Pitch Board To Board Female Socket Connector

**Height:**11.5mm

**Positions:**2x(12/13/18/20)P



**3740A系列**  
2.54间距 板对板连接器直插公头

**Spec:**2.54mm Pitch Board To Board Male Socket Connector

**Height:**26.0mm

**Positions:**2x(12/13/18/20)P



**3740A系列**  
2.54间距 板对板连接器公头

**Spec:**2.54mm Pitch Board To Board Male Socket Connector

**Height:**10.5mm

**Positions:**2x(13/16/20)P



**3740A系列**  
2.54间距 板对板连接器公头

**Spec:**2.54mm Pitch Board To Board Male Socket Connector

**Height:**29.0mm

**Positions:**2x(18/20)P



**3740C系列**  
2.54mm间距 大电流板对板180° 公座

**Spec:**2.54mm Pitch Large Current Board To Board 180°Male Socket Connector

**Height:**25.95mm

**Position:**2x(16/18/20/23)



**3740C系列**  
2.54mm间距 大电流板对板180° 母座

**Spec:**2.54mm Pitch Large Current Board To Board 180°Female Socket Connector 180°

**Height:**11.6mm

**Position:**2x(16/18/20/23)



**4400系列**  
2.0mm 间距 金手指公头连接器

**Spec:**2.00mm Pitch Card Edge Power Connector Series Male Header

**Height:**6.0mm

**Positions:**2 x 13P-2 x 27P



**4400系列**  
2.0mm 间距 金手指母头连接器

**Spec:**2.00mm Pitch Card Edge Power Connector Female Socket

**Height:**11.6/14.5mm

**Positions:**2 x 13P-2 x 27P



**4400系列**  
2.0mm 间距 金手指母头连接器

**Spec:**2.00mm Pitch Card Edge Power Connector Female Socket

**Height:**11.6/14.5mm

**Positions:**2 x 13P-2 x 27P



**4400系列**  
加强型2.0mm 间距金手指连接器/母座

**Spec:**Enhanced 2.0 mm Pitch Card Edge Connector Female Socket

**Height:**10.5mm

**Positions:**2 x 4P-2 x 27P



**4400系列**  
加强型2.0mm 间距金手指连接器/公座

**Spec:**Enhanced 2.0 Card Edge Connector Male Header

**Height:**10.2/13.2/20.2/27.2mm

**Positions:**2 x 4P-2 x 27P



**4400系列**  
加强型2.0mm 间距 金手指公座连接器

**Spec:**Enhanced 2.0 mm Pitch Card Edge Connector Male Header Right Angle With Harpoon

**Height:**20.2mm

**Positions:**2x4P-2x27P



**6312系列**  
1394 6P公头 卧式连接器

**Spec:**1394 6P Male Connector

**Positions:**6P



**6312系列**  
1394 6P公头 90度连接器

**Spec:**1394 6P Male Right Angle Connector



**6312系列**  
1394 6P公头 90度侧插

**Spec:**1394 Male Right Angle Connector Side Entry Type

**Positions:**6P



**6312系列**  
1394 10P母头带外壳 焊线式连接器

**Spec:**1394 10P Female Solder type Connector With Plastic Shell



**6312系列**  
110P公头 90度侧插连接器

**Spec:**1394 10P Male Right Angle Connector Side Entry Type



**6312系列**  
1394 10P公头 SMT 连接器

**Spec:**1394 10P Male SMT Connector



**6312系列**  
1394 6P公头带外壳 焊线式连接器

**Spec:**1394 6P Male Solder type Connector With Plastic Shell



**6312系列**  
1394 6P母头带外壳 焊线式连接器

**Spec:**1394 6P Female Solder type Connector With Plastic Shell

# SCSI连接器系列

## SCSI CONNECTOR SERIES



6313系列  
SCSI CA型 锌合金 母头 90度 连接器  
Spec:SCSI CA-Type Zinc Alloy Right Angle  
Female Connector  
Positions:14/20/26/36/50/68P



6313系列  
SCSI CA型 锌合金 母头 90度 连接器  
Spec:SCSI CA-Type Zinc Alloy Right Angle  
Female Connector  
Positions:14/20/26/36/50/68P



6313系列  
SCSI CA型 锌合金 母头 90度 连接器  
Spec:SCSI CA-Type Zinc Alloy Right Angle  
Female Connector  
Positions:14/20/26/36/50/68P



6313系列  
SCSI CA型 锌合金 母头 90度 连接器  
Spec:SCSI CA-Type Zinc Alloy Right Angle  
Female Connector  
Positions:14/20/26/36/50/68P



6313系列  
SCSI CA型 锌合金 母头 90度 连接器  
Spec:SCSI CA-Type Zinc Alloy Right Angle  
Female Connector  
Positions:14/20/26/36/50/68P



6313系列  
SCSI CA型 锌合金 母头 90度 连接器  
Spec:SCSI CA-Type Zinc Alloy Right Angle  
Female Connector  
Positions:14/20/26/36/50/68P



6313系列  
SCSI CA型 锌合金 母头 90度 连接器  
Spec:SCSI CA-Type Zinc Alloy Right Angle  
Female Connector  
Positions:14/20/26/36/50/68P



6311系列  
SCSI DB型 锌合金 母头 180度 连接器  
Spec:SCSI DB-Type Straight Female Connector  
Positions:50/68/100P



6311系列  
SCSI DB型 锌合金 母头 180度 连接器  
Spec:SCSI DB-Type Straight Female Connector  
Positions:50/68/100P



6311系列  
SCSI DB型 锌合金 母头 180度 连接器  
Spec:SCSI DB-Type Straight Female Connector  
Positions:50/68/100P



6311系列  
SCSI DB型 锌合金 母头 90度 连接器  
Spec:SCSI DB-Type Right Angle Female  
Connector  
Positions:50/68/100P



6311系列  
SCSI DB型 锌合金 母头 90度 连接器  
Spec:SCSI DB-Type Right Angle Female  
Connector  
Positions:50/68/100P



6411系列  
SCSI D型 公头 180度 连接器  
Spec:SCSI D-Type Straight Male Connector  
Positions:26P



6340系列  
SCSI D型 压线式 母头 四件套 连接器  
Spec:SCSI D-Type IDC-Type Female Four  
Assembly Parts Connector  
Positions:26P



6411系列  
SCSI D型 公头 卧贴 连接器  
Spec:SCSI D-Type Right angle SMT Male  
Connector  
Height:3.0/3.5/4.0/4.5/5.0/5.5/6.0/6.5mm  
Positions:26P



6331系列  
SCSI SM型 焊线式 公头 带装配式锁扣 连接器  
Spec:SCSI SM Solder-Type Male Ass'Y Type  
Latch Connector  
Positions:14/20/26/36/50P



6331系列  
SCSI HPCN型 焊线式 公头 带装配式锁扣 连接器  
Spec:SCSI HPCN Solder-Type Male Ass'Y Type  
Latch Connector  
Positions:14/20/26/36/50P



6331系列  
SCSI HPCN型 焊线式 公头 带装配式锁扣 连接器  
Spec:SCSI HPCN Solder-Type Male Ass'Y Type  
Latch Connector  
Positions:14/20/26/36/50P



6331系列  
SCSI HPCN型 焊线式 公头 带装配式锁扣 连接器  
Spec:SCSI HPCN Solder-Type Male Ass'Y Type  
Latch Connector  
Positions:14/20/26/36/50P



6331系列  
SCSI HPCN型 焊线式 公头 带装配式锁扣 连接器  
Spec:SCSI HPCN Solder-Type Male Ass'Y Type  
Latch Connector  
Positions:14/20/26/36/50P





6331系列  
SCSI SM型 焊线式公头 带装配式锁扣 连接器  
Spec:SCSI SM Solder-Type Male Ass'Y Type  
Latch Connector  
Positions:14/20/26/36/50P



6331系列  
SCSI SM型 焊线式公头 带装配式锁扣 连接器  
Spec:SCSI SM Solder-Type Male Ass'Y Type  
Latch Connector  
Positions:14/20/26/36/50P



6331系列  
SCSI SM型 焊线式公头 带装配式螺丝 连接器  
Spec:SCSI SM Solder-Type Male Ass'Y Type  
Screw Connector  
Positions:14/20/26/36/50P



6331系列  
SCSI SM型 焊线式公头 带装配式螺丝 连接器  
Spec:SCSI SM Solder-Type Male Ass'Y Type  
Screw Connector  
Positions:14/20/26/36/50P



6331系列  
SCSI SM型 焊线式公头 带装配式螺丝 连接器  
Spec:SCSI SM Solder-Type Male Ass'Y Type  
Screw Connector  
Positions:14/20/26/36/50P



6331系列  
SCSI SM型 焊线式公头 带装配式螺丝 连接器  
Spec:SCSI SM Solder-Type Male Ass'Y Type  
Screw Connector  
Positions:14/20/26/36/50P



6331系列  
SCSI SM型 焊线式公头 带装配式螺丝 连接器  
Spec:SCSI SM Solder-Type Male Ass'Y Type  
Screw Connector  
Positions:14/20/26/36/50P



6330系列  
SCSI DB/CN型 锌合金外壳 焊线式公头 连接器  
Spec:SCSI DB/CN-Type Zinc Alloy Solder-type  
Male Connector  
Positions:50/68/100P



6310系列  
SCSI 全塑型 母头 90度 连接器  
Spec:SCSI All Plastic Right Angle Female  
Connector  
Positions:20/30/34/40/50P



6310系列  
SCSI 全塑型 公头 90度 连接器  
Spec:SCSI All Plastic Right Angle Male  
Connector  
Positions:20/30/34/40/50P



6310系列  
SCSI 全塑型 母头 90度 连接器  
Spec:SCSI All Plastic Right Angle Female  
Connector  
Positions:20/30/34/40/50P



6310系列  
SCSI 全塑型 公头 90度 连接器  
Spec:SCSI All Plastic Right Angle Male  
Connector  
Positions:20/30/34/40/50P



6300系列  
SCSI 锌合金 公头 SMT 连接器  
Spec:SCSI Zinc Alloy SMT Male Connector  
Positions:26/50P



6300系列  
SCSI 锌合金 母头 90度 连接器  
Spec:SCSI Zinc Alloy HPCN Right Angle  
Female Connector  
Positions:14/20/26/36/40/50/68/100P



6300系列  
SCSI 锌合金 母头 90度 连接器  
Spec:SCSI Zinc Alloy HPCN Right Angle  
Female Connector  
Positions:14/20/26/36/40/50/68/100P



6300系列  
SCSI 锌合金 母头 90度 连接器  
Spec:SCSI HPCN Right Angle Female  
Connector  
Positions:14/20/26/36/40/50/68/100P



6300系列  
SCSI 锌合金 母头 90度 连接器  
Spec:SCSI HPCN Right Angle Female  
Connector  
Positions:14/20/26/36/40/50/68/100P



6300系列  
SCSI 锌合金 母头 90度 连接器  
Spec:SCSI HPCN Right Angle Female  
Connector  
Positions:14/20/26/36/40/50/68/100P



6300系列  
SCSI 锌合金 母头 180度 连接器  
Spec:SCSI HPCN Straight Female Connector  
Positions:14/20/26/36/40/50/68/100P



6300系列  
SCSI 锌合金 母头 180度 连接器  
Spec:SCSI HPCN Straight Female Connector  
Positions:14/20/26/36/40/50/68/100P

# SCSI连接器系列

## SCSI Connector Series

# 伺服电机连接器系列

## Servo Motor Connector Series



6300系列  
SCSI 锌合金 母头 180度 连接器

Spec:SCSI HPCN Straight Female Connector  
Positions:14/20/26/36/40/50/68/100P



6300系列  
SCSI 锌合金 母头 180度 连接器

Spec:SCSI HPCN Straight Female Connector  
Positions:14/20/26/36/40/50/68/100P



6300系列  
SCSI 锌合金 母头 180度 连接器

Spec:SCSI HPCN Straight Female Connector  
Positions:14/20/26/36/40/50/68/100P



6300系列  
SCSI 锌合金 母头 180度 连接器

Spec:SCSI HPCN Straight Female Connector  
Positions:14/20/26/36/40/50/68/100P



6300系列  
SCSI 锌合金 母头 180度 连接器

Spec:SCSI HPCN Straight Female Connector  
Positions:14/20/26/36/40/50/68/100P



6300系列  
SCSI 锌合金 母头 180度 连接器

Spec:SCSI HPCN Straight Female Connector  
Positions:14/20/26/36/40/50/68/100P



6314系列  
SCSI 全塑型 180度 母头 连接器

Spec:SCSI All Plastic Straight Female Connector  
Positions:20/30/40/50/60/68/80/100/120P



6314系列  
SCSI 全塑型 180度 公头 连接器

Spec:SCSI All Plastic Straight Male Connector  
Positions:20/30/40/50/60/68/80/100/120P



6314系列  
SCSI 全塑型 90度 母头 连接器

Spec:SCSI All Plastic Right Angle Female Connector  
Positions:20/30/40/50/60/68/80/100/120P




6314系列  
SCSI 全塑型 90度 公头 连接器

Spec:SCSI All Plastic Right Angle Male Connector  
Positions:20/30/40/50/60/68/80/100/120P



6335系列  
SSCSI H型全塑 弯公

Spec:SCSI H Type Male Header Right Angle Type  
Positions:20-120P



6335系列  
SCSI MINI型 焊接式 公头 带金属外壳 连接器

Spec:SCSI MINI Solder-Type Male Ass'Y Mental Shell Connector  
Positions:68P



6333系列  
SCSI MINI型 90度 母头 连接器

Spec:SCSI MINI Right Angle Female Connector  
Positions:68P



6331系列  
PCR 90度 公头 连接器

Spec:PCR Right Angle Male Connector  
Positions:20P



6331系列  
SM-PCR-20P 焊接式 母 连接器

Spec: SM-PCR Solder type Female Connector  
Positions:20P



6332系列  
PCR-E20FS 焊接式 母头

Spec:PCR-E20FS Solder Type Female Connector With Zinc Alloy Shell  
Positions:20P



6332系列  
PCR-E68FS 焊接式 母头

Spec:PCR-E68FS Solder Type Female Connector With Zinc Alloy Shell  
Positions:68P



6331系列  
SM-PCR-20P 直插式 公头/半金槽

Spec: SM-PCR-20P Male Header DIP Type Selective gold flash



6312系列  
SM-2芯 伺服电机 防水 插头

Spec:SM-2P Servo Motor Plug Connector  
Positions:2P



6312系列  
SM-4芯 伺服电机 防水 插头

Spec:SM-4P Servo Motor Plug Connector  
Positions:4P





6312系列  
SM-9芯伺服电机防水插头

Spec: SM-9P Servo Motor Plug Connector  
Positions:9P



6312系列  
SM-2/4芯伺服电机防水插头端子

Spec:SM-(2/4)P Servo Motor Plug Terminal



6312系列  
SM-9芯伺服电机防水插头端子

Spec:SM-9P Servo Motor Plug Terminal



6312系列  
SM-2芯伺服电机焊线式底座

Spec:Servo Motor 2Pin Solder typer Male Connector  
Positions:2P



6312系列  
SM-4芯伺服电机90°底座

Spec:Servo Motor 4Pin Right Angle Male Connector  
Positions:4P



6312系列  
SM-9芯伺服电机焊线式底座

Spec:Servo Motor 9Pin Male Connector  
Positions:9P



6312系列  
SM-9芯伺服电机焊线式底座端子

Spec:Servo Motor 9Pin Male Terminal



6312系列  
F型电梯连接器胶芯

Spec:F Type Elevator Connector  
Positions:8P



6312系列  
F型电梯连接器端子

Spec:F Type Elevator Connector  
A type/Phosphor bronze/Au1u"



6312系列  
伺服动力插头连接器9P编码器

Spec:Servo Power Plug Connector 9P Encoder



6353系列  
伺服电机动力勾板型底座4+2P

Spec:Servo motor Connector

Positions: 4+2P



6353系列  
伺服电机动力勾板型底座4Pin

Spec:Servo motor Connector

Positions: 4P



6353系列  
伺服电机编码器焊线式底座7P

Spec:Servo motor Connector Encoder Solder-Type Socket  
Positions: 7P



6353系列  
伺服电机动力4+2P焊接小型底座连接器

Spec:Servo motor Connector MINI Solder-Type Socket

Positions: 4+2P



6353系列  
伺服电机编码器7P单芯焊线端子底座连接器

Spec:Servo motor Connector Solder-Type Terminal Socket

Positions: 7P



6353系列  
伺服电机编码器线端7P

Spec:Servo motor Encoder Terminal Connector

Positions: 7P



6353系列  
伺服电机动力勾板型母座线端小6P

Spec:Servo motor Connector  
Positions: 6P



6353系列  
伺服电机动力勾板型底座小6Pin

Spec:Servo motor Connector  
Positions: 6P



6353系列  
伺服电机动力勾板型母座线端4+2P

Spec:Servo motor Connector  
Positions: 4+2P



6353系列  
伺服电机动力焊线式线端斜出口4+2P连接器

Spec:Servo motor Connector Solder-Type With Oblique Outlet  
Positions: 4+2P

# 伺服电机连接器系列

## Servo Motor Connector Series

# 圆孔连接器系列

## Machined pin header&female header Connector Series



6353系列  
伺服电机编码器线端7P小型/斜口/连接器  
Spec: Servo motor Encoder Connector With Oblique Outlet  
Positions: 7P



6353系列  
伺服电机动力线端4+2P小型/直口连接器  
Spec: Servo motor Connector Straight Outlet Encoder  
Positions: 4+2P



6353系列  
伺服电机编码器线端7P小型/直口连接器  
Spec: Servo motor Connector Straight Outlet Encoder  
Positions: 7P



6353系列  
JM40伺服电机编码器小功率7P插头  
Spec: JM40-7P Low Power Servo Motor Plug Connector  
Positions: 7P



6353系列  
JM40伺服电机编码器小功率7P插座  
Spec: JM40-7P Low Power Servo Motor Socket Connector  
Positions: 7P



6353系列  
JM20S伺服电机动力小6P直口插头  
Spec: JM20S-6P Servo Motor Plug Connector  
Positions: 6P



6353系列  
伺服电机动力小四面包端子  
Spec: Servo motor Connector Terminal



6353系列  
伺服电机动力大四面包端子  
Spec: Servo motor Connector Terminal



6352系列  
A型法那科电机连接器90°  
Spec: FANUC Electric machinery Connector 90°  
Positions: 6P



6352系列  
A型法那科电机连接器180°  
Spec: FANUC Electric machinery Connector 180°  
Positions: 6P



JL6352T系列  
A型法那科电机连接器端子  
Spec: FANUC Electric machinery Connector Terminal



3614系列  
1.27mm双头针 双排90度  
Spec: 1.27mm Pitch Machined Pin header Right Angle H1.9 mm Dual Row  
Positions: 2 × 2P-2 × 50P



3614系列  
1.27mm双头针 单排90度  
Spec: 1.27mm Pitch Machined Pin header Right Angle H2.1mm  
Positions: 1 × 2P-1 × 50P



3624系列  
1.27mm圆孔座 单排卧贴  
Spec: 1.27mm Pitch Machined Female header Right Angle SMT H4.1 mm  
Positions: 1 × 2P-1 × 50P



3624系列  
1.27mm圆孔座 单排90度  
Spec: 1.27mm Pitch Machined Female header Right Angle H4.1mm  
Positions: 1 × 2P-1 × 50P



3624系列  
1.27mm圆孔座 双排SMT  
Spec: 1.27mm Pitch Machined Female header SMT H3.8mm Dual Row  
Positions: 2 × 2P-2 × 50P



3624系列  
1.27mm圆孔座 单排180度  
Spec: 1.27mm Pitch Machined Female header Straight H4.1mm  
Positions: 1 × 2P-1 × 50P



3624系列  
1.27mm圆孔座 双排180度  
Spec: 1.27mm Pitch Machined Female header Straight H3.8 mm Dual Row  
Positions: 2 × 2P-2 × 50P



3624系列  
1.27mm圆孔座 单排180度  
Spec: 1.27mm Pitch Machined Female header Straight H4.1 mm  
Positions: 1 × 2P-1 × 50P



3624系列  
1.27mm圆孔座 双排90度  
Spec: 1.27mm Pitch Machined Female header Right Angle H3.8mm  
Positions: 2 × 2P-2 × 50P





3614系列  
1.27mm双头针 双排SMT

Spec:1.27mm Pitch Machined Pin header SMT  
H1.9 mm

Positions:2×2P-2×50P



3614系列  
1.27mm双头针 单排SMT

Spec:1.27mm Pitch Machined Pin header SMT  
H2.1mm

Positions:1×2P-1×50P



3613系列  
1.778mm双头针 单排180度

Spec:1.778mm Pitch Machined Pin header  
Straight H3.0 mm

Positions:1×2P-1×40P



3623系列  
1.778mm圆孔座 单排180度

Spec:1.778mm Pitch Machined Female  
Header Straight H3.0 mm

Positions:1×2P-1×40P



3622系列  
2.0mm圆孔座 单排90度

Spec:2.0mm Pitch Machined Female header  
Right Angle H2.8mm

Positions:1×2P-1×40P



3622系列  
2.0mm圆孔座 双排90度

Spec:2.0mm Pitch Machined Female header  
Right Angle H2.8mm

Positions:2×2P-2×40P



3612系列  
2.0mm双头针 单排卧贴

Spec:2.0mm Pitch Machined Pin header Right  
Angle SMT H2.8mm


Positions:1×2P-1×40P



3612系列  
2.0mm双头针 双排180度

Spec:2.0mm Pitch Machined Pin header  
Straight H2.8mm

Positions:2×2P-2×40P



3622系列  
2.0mm圆孔座 单排卧贴

Spec:2.0mm Pitch Machined Female header  
Right Angle SMT H2.8mm

Positions:1×2P-1×40P



3612系列  
2.0mm双头针 单排SMT

Spec:2.0mm Pitch Machined Pin header SMT  
H2.8mm

Positions:1×2P-1×40P



3622系列  
2.0mm圆孔座 单排180度

Spec:2.0mm Pitch Machined Female header  
Straight H2.8mm

Positions:1×2P-1×40P



3622系列  
2.0mm圆孔座 单/双排180度

Spec:2.0mm Pitch Machined Female header  
Straight H2.8mm

Positions:1×2P-1×40P



3622系列  
2.0mm圆孔座 双排180度

Spec:2.0mm Pitch Machined Female header  
Straight H2.8mm

Positions:2×2P-2×40P



3622系列  
2.0mm圆孔座 双排180度

Spec:2.0mm Pitch Machined Female header  
Straight H2.8mm

Positions:2×2P-2×40P



3612系列  
2.0mm双头针 双排180度

Spec:2.0mm Pitch Machined Pin header  
Straight H2.8mm

Positions:2×2P-2×40P



3622系列  
2.0mm圆孔座 双排SMT

Spec:2.0mm Pitch Machined Female header  
SMT H2.8mm

Positions:2×2P-2×40P



3612系列  
2.0mm双头针 双排SMT

Spec:2.0mm Pitch Machined Pin header SMT  
H2.8mm

Positions:2×2P-2×40P



3612系列  
2.0mm双头针 双排180度

Spec:2.0mm Pitch Machined Pin header  
Straight H2.8mm


Positions:2×2P-2×40P



3612系列  
2.0mm双头针 单排180度

Spec:2.0mm Pitch Machined Pin header  
Straight H2.8mm

Positions:1×2P-1×40P



3612系列  
2.0mm双头针 单/双排180度

Spec:2.0mm Pitch Machined Pin header  
Straight H2.8mm

Positions:1×2P-1×40P/2×2P-2×40P

# 圆孔连接器系列

## Machined pin header&female header Connector Series



3620系列  
2.54mm圆孔座 单排SMT

Spec:2.54mm Pitch Machined Female header  
SMT H7.0mm

Positions:1×2P-1×40P



3620系列  
2.54mm圆孔座 双排SMT

Spec:2.54mm Pitch Machined Female header  
SMT H7.0mm

Positions:2×2P-2×40P



3620系列  
2.54mm圆孔座 双排180度+排针胶态

Spec:2.54mm Pitch Machined Female header  
Straight H3.0mm With Pin Header Insulator

Positions:2×2P-2×40P



3620系列  
2.54mm圆孔座 单排180度

Spec:2.54mm Pitch Machined Female header  
Straight H7.0mm

Positions:1×2P-1×40P



3620系列  
2.54mm圆孔座 双排180度

Spec:2.54mm Pitch Machined Female header  
Straight H7.0mm

Positions:2×2P-2×40P



3610系列  
2.54mm双头针 双排180度

Spec:2.54mm Pitch Machined Pin header  
Straight H3.0mm

Positions:2×2P-2×40P



3620系列  
2.54mm圆孔座 单排SMT

Spec:2.54mm Pitch Machined Female header  
SMT H3.0mm

Positions:1×2P-1×40P



3620系列  
2.54mm圆孔座 双排SMT

Spec:2.54mm Pitch Machined Female header  
SMT H3.0mm

Positions:2×2P-2×40P



3610系列  
2.54mm双头针 双排SMT

Spec:2.54mm Pitch Machined Pin header  
SMT H3.0mm

Positions:2×2P-2×40P



3610系列  
2.54mm双头针 单排SMT

Spec:2.54mm Pitch Machined Pin header SMT  
H3.0mm

Positions:1×2P-1×40P



3610系列  
2.54mm双头针 单排90度

Spec:2.54mm Pitch Machined Pin header  
Right Angle H3.0mm


Positions:1×2P-1×40P



3610系列  
2.54mm双头针 双排90度

Spec:2.54mm Pitch Machined Pin header  
Right Angle H3.0mm

Positions:2×2P-2×40P



3620系列  
2.54mm圆孔座单/双排90度

Spec:2.54mm Pitch Machined Female header  
Right Angle H3.0mm

Positions:1×2P-1×40P/2×2P-2×40P



3620系列  
2.54mm圆孔座 单/双排180度方形针尖

Spec:2.54mm Pitch Machined Female header  
Straight H3.0mm With Tip Of Squ Pin

Positions:1×2P-1×40P/2×2P-2×40P



3620系列  
2.54mm圆孔座 单排180度

Spec:2.54mm Pitch Machined Female header  
Straight H4.2mm

Positions:1×2P-1×40P



3620系列  
2.54mm圆孔座 双排180度

Spec:2.54mm Pitch Machined Female header  
Straight H3.0mm

Positions:2×2P-2×40P



3620系列  
2.54mm圆孔座 单排180度

Spec:2.54mm Pitch Machined Female header  
Straight H3.0mm

Positions:1×2P-1×40P



3610系列  
2.54mm双头针 双排180度

Spec:2.54mm Pitch Machined Pin header  
Straight H3.0mm

Positions:2×2P-2×40P



3610系列  
2.54mm双头针 单排180度

Spec:2.54mm Pitch Machined Pin header  
Straight H3.0mm

Positions:1×2P-1×40P



3620系列  
2.54mm圆孔座 单排180度

Spec:2.54mm Pitch Machined Female header  
Straight H7.0mm

Positions:1×2P-1×40P





3620系列  
2.54mm圆孔座 单排90度

Spec:2.54mm Pitch Machined Female header  
Right Angle H7.0mm

Positions:1×2P-1×40P



3620系列  
2.54mm圆孔座 双排90度

Spec:2.54mm Pitch Machined Female header  
Right Angle H7.0mm

Positions:2×2P-2×40P



3610系列  
2.54mm双头针单排卧式

Spec:2.54mm Pitch Machined Pin header  
Right Angle SMT H3.0mm

Positions:1×2P-1×40P



7220系列  
1.778mm IC座 圆孔 180度

Spec:1.778mm Pitch IC Socket Machined  
Female header Straight H2.8mm

Positions:16-64P



7220系列  
1.778mm IC座 圆孔 180度

Spec:1.778mm Pitch IC Socket Machined  
Female header Straight H2.8mm

Positions:16-64P



3661系列  
1.778mm IC座 双头针 180度

Spec:1.778mm Pitch IC Socket Machined  
Pin header Straight H2.8mm

Positions:16-64P



3660系列  
2.54mm IC座 双头针 SMT

Spec:2.54mm Pitch IC Socket Machined Pin  
header SMT H3.0mm

Positions:6-64P



7210系列  
2.54mm IC座 圆孔座 SMT

Spec:2.54mm Pitch IC Socket Machined  
Female header SMT H3.0mm

Positions:6-64P



7210系列  
2.54mm IC座 圆孔座 90度

Spec:2.54mm Pitch IC Socket Machined  
Female header Right Angle H3.0mm


Positions:6-64P



7210系列  
2.54mm IC座 圆孔座 180度

Spec:2.54mm Pitch IC Socket Machined  
Female header Straight H3.0mm

Positions:6-64P



7210系列  
2.54mm IC座 圆孔座 180度

Spec:2.54mm Pitch IC Socket Machined  
Female header Straight H3.0mm

Positions:6-64P



1713系列  
0.8mm 排针双排180度

Spec:0.8mm Pitch Pin header Straight  
H1.38mm Dual Row

Positions:2×1P-2×50P



1713系列  
0.8mm 排针双排SMT

Spec:0.8mm Pitch Pin header SMT H1.38mm  
Dual Row

Positions:2×1P-2×50P



1610/1615系列  
1.0mm 排针单排卧式

Spec:1.0mm Pitch Pin header Right Angle  
SMT H1.0/1.5mm

Positions:1×1P-1×50P



1610/1615系列  
1.0mm 排针双排180度

Spec:1.0mm Pitch Pin header Straight  
H1.0/1.5mm Dual Row

Positions:2×1P-2×50P



1610/1615系列  
1.0mm 排针双排90度

Spec:1.0mm Pitch Pin header Right Angle  
H1.0/1.5mm Dual Row

Positions:2×1P-2×50P



1610/1615系列  
1.0mm 排针双排SMT

Spec:1.0mm Pitch Pin header SMT  
H1.0/1.5mm Dual Row

Positions:2×1P-2×50P



1610/1615系列  
1.0mm 排针单排180度

Spec:1.0mm Pitch Pin header Straight  
H1.0/1.5mm

Positions:1×1P-1×50P



1610/1615系列  
1.0mm 排针双排双型180度

Spec:1.0mm Pitch Pin header Straight  
H1.0/1.5mm Dual Row

Positions:2×1P-2×50P



1610/1615系列  
1.0mm 排针单排90度

Spec:1.0mm Pitch Pin header Right Angle  
H1.0/1.5mm

Height:1.0mm

Positions:1×1P-1×50P

# 排针连接器系列

## Pin Header Connector Series



1610/1615系列  
1.0mm 排针双排卧贴

**Spec:**1.0mm Pitch Pin header Right Angle  
SMT H1.0/1.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P



1610/1615系列  
1.0mm 排针双排90度

**Spec:**1.0mm Pitch Pin header Right Angle  
H1.0/1.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P



1610/1615系列  
1.0mm 排针双排SMT

**Spec:**1.0mm Pitch Pin header SMT  
H1.0/1.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P



1610/1615系列  
1.0mm 排针双排180度

**Spec:**1.0mm Pitch Pin header Dual Row  
Straight H1.0/1.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P



1410系列  
1.27mm 排针单排SMT

**Spec:**1.27mm Pitch Pin header SMT  
SQ0.4/0.46mm H1.0mm

**Height:**1.0mm

**Positions:**1 × 1P-1 × 50P



1410系列  
1.27mm 排针双排SMT

**Spec:**1.27mm Pitch Pin header Dual Row  
SMT SQ0.4/0.46mm H1.0mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P



1410系列  
1.27mm 排针单排180度

**Spec:**1.27mm Pitch Pin header Straight  
SQ0.4/0.46mm H1.0mm

**Height:**1.0mm

**Positions:**1 × 1P-1 × 50P




1410系列  
1.27mm 排针双排180度

**Spec:**1.27mm Pitch Pin header Straight  
SQ0.4/0.46mm H1.0mm Dual Row

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P




1415系列  
1.27mm 排针单排90度

**Spec:**1.27mm Pitch Pin header Right Angle  
SQ0.4/0.46mm H1.5mm

**Height:**1.0mm

**Positions:**1 × 1P-1 × 50P



1420系列  
1.27mm 排针单排90度

**Spec:**1.27mm Pitch Pin header Right Angle  
SQ0.4/0.46mm H2.0mm

**Height:**1.0mm

**Positions:**1 × 1P-1 × 50P




1425系列  
1.27mm 排针单排90度

**Spec:**1.27mm Pitch Pin header Right Angle  
SQ0.4/0.46mm H2.5mm

**Height:**1.0mm

**Positions:**1 × 1P-1 × 50P



1415系列  
1.27mm 排针双排180度

**Spec:**1.27mm Pitch Pin header Dual Row  
Straight SQ0.4/0.46mm H1.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P



1415/16/17系列  
1.27mm 排针双排双型SMT

**Spec:**1.27mm Pitch Pin header Dual Row  
SMT SQ0.4/0.46mm H1.5/1.6/1.7mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P




1420系列  
1.27mm 排针双排双型SMT

**Spec:**0.5mm Pitch Board to Board Connector  
Double Contact Male Dual Row

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P



1425系列  
1.27mm 排针双排双型SMT

**Spec:**1.27mm Pitch Pin header Dual Row  
SMT SQ0.4/0.46mm H2.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P



1410系列  
1.27mm 排针双排双型SMT

**Spec:**1.27mm Pitch Pin header Dual Row  
SMT SQ0.4/0.46mm H1.0mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P



1416/17系列  
1.27mm 排针单排180度

**Spec:**1.27mm Pitch Pin header  
Straight SQ0.4/0.46mm H1.6/1.7mm

**Height:**1.0mm

**Positions:**1 × 1P-1 × 50P



1420/25系列  
1.27mm 排针单排180度

**Spec:**1.27mm Pitch Pin header  
Straight SQ0.4/0.46mm H2.0/2.5mm

**Height:**1.0mm

**Positions:**1 × 1P-1 × 50P




1420/25系列  
1.27mm 排针双排180度

**Spec:**1.27mm Pitch Pin header Dual Row  
Straight SQ0.4/0.46mm H2.0/2.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P



1415/16系列  
1.27mm 排针双排卧贴

**Spec:**1.27mm Pitch Pin header Dual Row  
Right Angle SMT SQ0.4/0.46mm H1.5/1.6mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 50P





1420/25系列  
1.27mm 排针双排右贴

**Spec:**1.27mm Pitch Pin header Dual Row  
Right Angle SMT SQ0.4/0.46mm H2.0/2.5mm  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1410系列  
1.27mm 排针双排SMT

**Spec:**1.27mm Pitch Pin header Dual Row  
SMT SQ0.4/0.46mm H1.0mm  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1415/16/17系列  
1.27mm 排针双排SMT

**Spec:**1.27mm Pitch Pin header Dual Row  
SMT SQ0.4/0.46mm H1.5/1.6/1.7mm  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1420系列  
1.27mm 排针双排SMT

**Spec:**1.27mm Pitch Pin header Dual Row  
SMT SQ0.4/0.46mm H2.0mm  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1425系列  
1.27mm 排针双排SMT

**Spec:**1.27mm Pitch Pin header Dual Row  
SMT SQ0.4/0.46mm H2.5mm  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1410系列  
1.27mm 排针双排180度

**Spec:**1.27mm Pitch Pin header Dual Row  
Straight SQ0.4/0.46mm H1.0mm  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1410系列  
1.27mm 排针双排双翘180度

**Spec:**1.27mm Pitch Pin header Dual Row  
Straight SQ0.4/0.46mm H1.0mm  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1415/20/25系列  
1.27mm 排针单排双翘SMT

**Spec:**1.27mm Pitch Pin header Single Row  
SMT SQ0.4/0.46mm H1.5/2.0/2.5mm  
**Height:**1.0mm  
**Positions:**1×1P-1×50P



1415/20/25系列  
1.27mm 排针单排单翘SMT

**Spec:**1.27mm Pitch Pin header Single Row  
SMT SQ0.4/0.46mm H1.5/2.0/2.5mm  
**Height:**1.0mm  
**Positions:**1×1P-1×50P



1415/20/25系列  
1.27mm 排针双排90度

**Spec:**1.27mm Pitch Pin header Right Angle  
SQ0.4/0.46mm H1.5/2.0/2.5mm  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1415/20/25系列  
1.27mm 排针单排三翘180度

**Spec:**1.27mm Pitch Pin header Single Row  
Straight SQ0.4/0.46mm H1.5/2.0/2.5mm  
**Height:**1.0mm  
**Positions:**1×1P-1×50P



1410系列  
1.27mm 排针单排180度

**Spec:**1.27mm Pitch Pin header Single Row  
Straight SQ0.4/0.46mm H1.0mm  
**Height:**1.0mm  
**Positions:**1×1P-1×50P



1420/25系列  
1.27mm 排针双排四翘SMT

**Spec:**1.27mm Pitch Pin header Dual Row SMT  
SQ0.4/0.46mm H2.0/2.5mm With Four Plastic Layer  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1430系列  
1.27mm 排针单排右贴

**Spec:**1.27mm Pitch Pin header Single Row  
Right Angle SMT SQ0.46mm H3.0mm  
**Height:**1.0mm  
**Positions:**1×1P-1×25P



1525系列  
1.27x2.54mm 排针双排180度

**Spec:**1.27x2.54mm Pitch Pin header Dual  
Row Straight SQ0.46mm H2.5mm  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1525系列  
1.27x2.54mm 排针双排双翘SMT

**Spec:**1.27x2.54mm Pitch Pin header Dual Row SMT  
SQ0.46mm H2.5mm With Twofold Plastic Layer  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1525系列  
1.27x2.54mm 排针双排SMT

**Spec:**1.27x2.54mm Pitch Pin header Dual  
Row SMT SQ0.46mm H2.5mm  
**Height:**1.0mm  
**Positions:**2×1P-2×50P




1525系列  
1.27x2.54mm 排针双排SMT

**Spec:**1.27x2.54mm Pitch Pin header Dual  
Row SMT SQ0.46mm H2.5mm  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1525系列  
1.27x2.54mm 排针双排双翘180度

**Spec:**1.27x2.54mm Pitch Pin header Dual Row  
Straight SQ0.46mm H2.5mm With Twofold Plastic Layer  
**Height:**1.0mm  
**Positions:**2×1P-2×50P



1310/15/20系列  
2.0mm 排针双排双翘180度

**Spec:**2.0mm Pitch Pin header Dual Row  
Straight SQ0.5mm H1.0/1.5/2.0mm  
**Height:**1.0mm  
**Positions:**2×1P-2×40P



# 排针连接器系列

## Pin Header Connector Series



1310/15/20系列  
2.0mm 排针双排双翘SMT

**Spec:**2.0mm Pitch Pin header Dual Row SMT  
SQ0.5mm H1.0/1.5/2.0mm  
**Height:**1.0mm  
**Positions:**2 × 1P-2 × 40P



1310/15/20系列  
2.0mm 排针双排180度

**Spec:**2.0mm Pitch Pin header Dual Row  
Straight SQ0.5mm H1.0/1.5/2.0mm  
**Height:**1.0mm  
**Positions:**2 × 1P-2 × 40P



1340系列  
2.0mm 排针双排180度

**Spec:**2.0mm Pitch Pin header Dual Row  
Straight SQ0.5mm H4.0mm  
**Height:**1.0mm  
**Positions:**2\*1-2\*40P



1315系列  
2.0mm 排针单排90度

**Spec:**2.0mm Pitch Pin header Single Row  
Right Angle SQ0.5mm H1.5mm  
**Height:**1.0mm  
**Positions:**1 × 1P-1 × 40P



1320系列  
2.0mm 排针单排SMT

**Spec:**2.0mm Pitch Pin header Single Row  
SMT SQ0.5mm H2.0mm  
**Height:**1.0mm  
**Positions:**1 × 1P-1 × 40P



1320系列  
2.0mm 排针单排90度

**Spec:**2.0mm Pitch Pin header Single Row  
Right Angle SQ0.5mm H2.0mm  
**Height:**1.0mm  
**Positions:**1 × 1P-1 × 40P



1320系列  
2.0mm 排针双排180度

**Spec:**2.0mm Pitch Pin header Single Row  
Straight SQ0.5mm H2.0mm  
**Height:**1.0mm  
**Positions:**1 × 1P-1 × 40P



1315系列  
2.0mm 排针单排SMT

**Spec:**2.0mm Pitch Pin header Single Row  
SMT SQ0.5mm H1.5mm  
**Height:**1.0mm  
**Positions:**1 × 1P-1 × 40P



1315/20系列  
2.0mm 排针双排90度SMT

**Spec:**2.0mm Pitch Pin header Dual Row  
Right Angle SMT SQ0.5mm H1.5/2.0mm  
**Height:**1.0mm  
**Positions:**2 × 1P-2 × 40P



1315/20系列  
2.0mm 排针双排双翘90度

**Spec:**2.0mm Pitch Pin header Dual Row  
Right Angle SQ0.5mm H2.0mm  
**Height:**1.0mm  
**Positions:**2 × 1P-2 × 40P



1315/20系列  
2.0mm 排针单排双翘双弯

**Spec:**2.0mm Pitch Pin header Single Row  
Right Angle SQ0.5mm H2.0mm  
**Height:**1.0mm  
**Positions:**1 × 1P-1 × 40P



1310/15系列  
2.0mm 排针单排90度

**Spec:**2.0mm Pitch Pin header Single Row  
Right Angle SQ0.5mm H1.0/1.5mm  
**Height:**1.0mm  
**Positions:**1 × 1P-1 × 40P



1320系列  
2.0mm 排针单排90度

**Spec:**2.0mm Pitch Pin header Single Row  
Right Angle SQ0.5mm H2.0mm  
**Height:**1.0mm  
**Positions:**1 × 1P-1 × 40P



1310系列  
2.0mm 排针单排双翘180度

**Spec:**2.0mm Pitch Pin header Single Row  
Straight SQ0.5mm H1.0mm  
**Height:**1.0mm  
**Positions:**1 × 1P-1 × 40P



1315系列  
2.0mm 排针单排双翘180度

**Spec:**2.0mm Pitch Pin header Single Row  
Straight SQ0.5mm H1.5mm  
**Height:**1.0mm  
**Positions:**1 × 1P-1 × 40P



1320系列  
2.0mm 排针单排双翘180度

**Spec:**2.0mm Pitch Pin header Single Row  
Straight SQ0.5mm H2.0mm  
**Height:**1.0mm  
**Positions:**1 × 1P-1 × 40P



1320系列  
2.0mm 排针单排双翘180度

**Spec:**2.0mm Pitch Pin header Single Row  
Straight SQ0.5mm H2.0mm  
**Height:**1.0mm  
**Positions:**1 × 1P-1 × 40P



1310系列  
2.0mm 排针双排双翘SMT

**Spec:**2.0mm Pitch Pin header Dual Row SMT  
SQ0.5mm H1.0mm  
**Height:**1.0mm  
**Positions:**2 × 1P-2 × 40P



1315/20系列  
2.0mm 排针双排双翘SMT

**Spec:**2.0mm Pitch Pin header Dual Row SMT  
SQ0.5mm H1.5/2.0mm  
**Height:**1.0mm  
**Positions:**2 × 1P-2 × 40P



1310系列  
2.0mm 排针双排双翘180度

**Spec:**2.0mm Pitch Pin header Dual Row  
Straight SQ0.5mm H1.0mm  
**Height:**1.0mm  
**Positions:**2 × 1P-2 × 40P





1315系列  
2.0mm 排针双排180度

**Spec:**2.0mm Pitch Pin header Dual Row  
Straight SQ0.5mm H1.5mm  
**Height:**1.0mm  
**Positions:**2×1P-2×40P



1320系列  
2.0mm 排针双排180度

**Spec:**2.0mm Pitch Pin header Dual Row  
Straight SQ0.5mm H2.0mm  
**Height:**1.0mm  
**Positions:**2×1P-2×40P



1320系列  
2.0mm 排针双排SMT

**Spec:**2.0mm Pitch Pin header Dual Row SMT  
SQ0.5mm H2.0mm  
**Height:**1.0mm  
**Positions:**2×1P-2×40P




1820系列  
2.5x5.2mm 排针双排180度

**Spec:**2.5x5.2mm Pitch Pin header Dual Row  
Straight Terminal:0.64x1.0mm H2.0mm  
**Height:**1.0mm  
**Positions:**2×2P-2×40P



1820系列  
2.5x5.2mm 排针双排180度

**Spec:**2.5x5.2mm Pitch Pin header Dual Row  
Straight Terminal:0.64x1.0mm H2.0mm  
**Height:**1.0mm  
**Positions:**2×2P-2×40P



1820系列  
2.5x5.2mm 排针双排SMT

**Spec:**2.5x5.2mm Pitch Pin header Dual Row  
SMT Terminal:0.64x1.0mm H2.0mm  
**Height:**1.0mm  
**Positions:**2×2P-2×40P



1210系列  
2.54mm 排针双排单弯180度

**Spec:**2.54mm Pitch Pin header Dual Row  
Straight SQ0.64mm H1.0mm  
**Height:**1.0mm  
**Positions:**2×1P-2×40P



1210系列  
2.54mm 排针单排单弯180度

**Spec:**2.54mm Pitch Pin header Single Row  
Straight SQ0.64mm H1.0mm  
**Height:**1.0mm  
**Positions:**1×1P-1×40P



1225系列  
2.54mm 排针单排双弯

**Spec:**2.54mm Pitch Pin header Single Row  
Right Angle SQ0.64mm H2.5mm  
**Height:**1.0mm  
**Positions:**1×1P-1×40P



1225系列  
2.54mm 排针双排双弯

**Spec:**2.54mm Pitch Pin header Dual Row  
Right Angle SQ0.64mm H2.5mm  
**Height:**1.0mm  
**Positions:**2×1P-2×40P



1225系列  
2.54mm 排针双排打K脚180度

**Spec:**2.54mm Pitch Pin header Dual Row  
Straight SQ0.64mm H2.5mm With Kinked Pin  
**Height:**1.0mm  
**Positions:**2×1P-2×40P



1225系列  
2.54mm 排针双排双弯90度

**Spec:**2.54mm Pitch Pin header Dual Row  
Right Angle SQ0.64mm H2.5mm  
**Height:**1.0mm  
**Positions:**2×1P-2×40P



1243系列  
2.54mm 排针双排180度

**Spec:**2.54mm Pitch Pin header Dual Row  
Straight SQ0.64mm H4.3mm  
**Height:**1.0mm  
**Positions:**2×1P-2×40P



1243系列  
2.54mm 排针双排SMT

**Spec:**2.54mm Pitch Pin header Dual Row  
SMT SQ0.64mm H4.3mm  
**Height:**1.0mm  
**Positions:**2×1P-2×40P



1243系列  
2.54mm 排针双排90度

**Spec:**2.54mm Pitch Pin header Dual Row  
Right Angle SQ0.64mm H4.3mm  
**Height:**1.0mm  
**Positions:**2×1P-2×40P




1215系列  
2.54mm 排针单排双弯180度

**Spec:**2.54mm Pitch Pin header Single Row  
Straight SQ0.64mm H1.5mm  
**Height:**1.0mm  
**Positions:**1×1P-1×40P



1225系列  
2.54mm 排针四排90度

**Spec:**2.54mm Pitch Pin header Four Row  
Right Angle SQ0.64mm H2.5mm  
**Height:**1.0mm  
**Positions:**4×1P-4×40P



1220/25系列  
2.54mm 排针单排180度

**Spec:**2.54mm Pitch Pin header Single Row  
Straight SQ0.64mm H2.0/2.5mm  
**Height:**1.0mm  
**Positions:**1×1P-1×40P



1225系列  
2.54mm 排针双排双弯180度

**Spec:**2.54mm Pitch Pin header Dual Row  
Straight SQ0.64mm H2.5mm  
**Height:**1.0mm  
**Positions:**2×1P-2×40P



1225系列  
2.54mm 排针三排90度

**Spec:**2.54mm Pitch Pin header Three Row  
Right Angle SQ0.64mm H2.5mm  
**Height:**1.0mm  
**Positions:**3×1P-3×40P



# 排针连接器系列

## Pin Header Connector Series



1274系列  
2.54mm 排针单排双塑90度

**Spec:**2.54mm Pitch Pin header With Twofold Plastic Layer Straight SQ0.64mm H7.4mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1274系列  
2.54mm 排针双排90度

**Spec:**2.54mm Pitch Pin header Dual Row Right Angle SQ0.64mm H7.4mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1215系列  
2.54mm 排针双排双塑180度

**Spec:**2.54mm Pitch Pin header Dual Row Straight SQ0.64mm H1.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1215系列  
2.54mm 排针双排双塑90度

**Spec:**2.54mm Pitch Pin header Dual Row Right Angle SQ0.64mm H1.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1220系列  
2.54mm 排针双排双塑90度

**Spec:**2.54mm Pitch Pin header Dual Row Right Angle SQ0.64mm H2.0mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1215/20/25系列  
2.54mm 排针单排90度

**Spec:**2.54mm Pitch Pin header Single Row Right Angle SQ0.64mm H1.5/2.0/2.5mm

**Height:**1.0mm

**Positions:**1 × 1P-1 × 40P



1225系列  
2.54mm 排针三排180度

**Spec:**2.54mm Pitch Pin header Three Row Straight SQ0.64mm H2.5mm

**Height:**1.0mm

**Positions:**3 × 1P-3 × 40P



1225系列  
2.54mm 排针双排卧贴

**Spec:**2.54mm Pitch Pin header Dual Row Right Angle SMT SQ0.64mm H2.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1215/20系列  
2.54mm 排针双排90度

**Spec:**2.54mm Pitch Pin header Dual Row Right Angle SQ0.64mm H1.5/2.0mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1225系列  
2.54mm 排针单排卧贴

**Spec:**2.54mm Pitch Pin header Single Row Right Angle SMT SQ0.64mm H2.5mm

**Height:**1.0mm

**Positions:**1 × 1P-1 × 40P



1225系列  
2.54mm 排针双排180度

**Spec:**2.54mm Pitch Pin header Dual Row Straight SQ0.64mm H2.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1210/15系列  
2.54mm 排针双排180度

**Spec:**2.54mm Pitch Pin header Dual Row Straight SQ0.64mm H1.0/1.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1215/20系列  
2.54mm 排针双排SMT

**Spec:**2.54mm Pitch Pin header Dual Row SMT SQ0.64mm H1.5/2.0mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1225系列  
2.54mm 排针双排SMT

**Spec:**2.54mm Pitch Pin header Dual Row SMT SQ0.64mm H2.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1215/20系列  
2.54mm 排针双排双塑SMT

**Spec:**2.54mm Pitch Pin header Dual Row SMT SQ0.64mm H1.5/2.0mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1225系列  
2.54mm 排针双排双塑SMT

**Spec:**2.54mm Pitch Pin header Dual Row SMT SQ0.64mm H2.5mm

**Height:**1.0mm

**Positions:**2 × 1P-2 × 40P



1225系列  
2.54mm 排针单排双弯

**Spec:**2.54mm Pitch Pin header Single Row Right Angle SQ0.64mm H2.5mm

**Height:**1.0mm

**Positions:**1 × 1P-1 × 40P



1225系列  
2.54mm 排针单排SMT

**Spec:**2.54mm Pitch Pin header Single Row SMT SQ0.64mm H2.5mm

**Height:**1.0mm

**Positions:**1 × 1P-1 × 40P



1225系列  
2.54mm 排针三排双塑180度

**Spec:**2.54mm Pitch Pin header Three Row Straight SQ0.64mm H2.5mm

**Height:**1.0mm

**Positions:**3 × 1P-3 × 40P



1225系列  
2.54mm 排针三排单塑180度

**Spec:**2.54mm Pitch Pin header Triple Rows Straight SQ0.64mm H2.5mm

**Height:**1.0mm

**Positions:**3 × 1P-3 × 40P





1225系列  
2.54mm 排针双排双塑SMT

Spec:2.54mm Pitch Pin header Dual Rows  
SMT SQ0.64mm H2.5mm  
Height:1.0mm  
Positions:2×1P-2×40P



1215系列  
2.54mm 排针双排卧贴

Spec:2.54mm Pitch Pin header Dual Rows  
Right Angle SMT SQ0.64mm H1.5mm  
Height:1.0mm  
Positions:2×1P-2×40P



1226系列  
2.54mm 排针三排三塑SMT

Spec:2.54mm Pitch Pin header Triple Rows  
SMT SQ0.64mm H2.5mm  
Height:1.0mm  
Positions:3×1P-3×40P



1225系列  
2.54mm 排针三排90度

Spec:2.54mm Pitch Pin header Triple Rows  
Right Angle SQ0.64mm H2.5mm  
Height:1.0mm  
Positions:3×1P-3×40P



1274系列  
2.54mm 排针双排90度

Spec:2.54mm Pitch Pin header Dual Rows  
Right Angle SQ0.64mm H7.4mm  
Height:1.0mm  
Positions:2×1P-2×40P



1220系列  
2.54mm 排针双排双塑180度

Spec:2.54mm Pitch Pin header Dual Rows  
Straight SQ0.64mm H2.0mm  
Height:1.0mm  
Positions:2×1P-2×40P



1210/15/25系列  
2.54mm 排针单排180度

Spec:2.54mm Pitch Pin header Single Row  
Straight SQ0.64mm H1.0/1.5/2.5mm  
Height:1.0mm  
Positions:1×1P-1×40P



1225系列  
2.54mm 排针双排90度

Spec:2.54mm Pitch Pin header Dual Rows  
Right Angle SQ0.64mm H2.5mm  
Height:1.0mm  
Positions:2×1P-2×40P



1215系列  
2.54mm 排针单排卧贴

Spec:2.54mm Pitch Pin header Single Row  
Right Angle SMT SQ0.64mm H1.5mm  
Height:1.0mm  
Positions:1×1P-1×40P



1215/20/25系列  
2.54mm 排针单排SMT

Spec:2.54mm Pitch Pin header Single Row  
SMT SQ0.64mm H1.5/2.0/2.5mm  
Height:1.0mm  
Positions:1×1P-1×40P



1225系列  
2.54mm 排针双排三塑90度

Spec:2.54mm Pitch Pin header Dual Rows  
Right Angle SQ0.64mm H2.5mm  
Height:1.0mm  
Positions:2×1P-2×40P



1932系列  
3.96mm 排针单排180度

Spec:3.96mm Pitch Pin header Single Row  
Straight SQ1.14mm H3.2mm  
Height:1.0mm  
Positions:1×1P-1×20P



1932系列  
3.96mm 排针单排180度

Spec:3.96mm Pitch Pin header Single Row  
Straight SQ1.14mm H3.2mm  
Height:1.0mm  
Positions:1×1P-1×20P



1932系列  
3.96mm 排针单排双塑180度

Spec:3.96mm Pitch Pin header Single Row  
Straight SQ1.14mm H3.2mm  
Height:1.0mm  
Positions:1×1P-1×20P



1932系列  
3.96mm 排针单排双塑90度

Spec:3.96mm Pitch Pin header Single Row  
Right Angle SQ1.14mm H3.2mm  
Height:1.0mm  
Positions:1×1P-1×20P



1932系列  
3.96mm 排针单排反向90度

Spec:3.96mm Pitch Pin header Single Row  
Right Angle SQ1.14mm H3.2mm  
Height:1.0mm  
Positions:1×1P-1×20P



1932系列  
3.96mm 排针单排正向90度

Spec:3.96mm Pitch Pin header Single Row  
Right Angle SQ1.14mm H3.2mm  
Height:1.0mm  
Positions:1×1P-1×20P



1932系列  
3.96mm 排针单排SMT

Spec:3.96mm Pitch Pin header Single Row  
SMT SQ1.14mm H3.2mm  
Height:1.0mm  
Positions:1×1P-1×20P



1125系列  
5.08mm 排针单排双塑SMT

Spec:5.08mm Pitch Pin header Single Row  
SMT SQ1.14mm H2.5mm  
Height:1.0mm  
Positions:1×1P-1×20P



1125系列  
5.08mm 排针单排180度

Spec:5.08mm Pitch Pin header Single Row  
Straight SQ1.14mm H2.5mm  
Height:1.0mm  
Positions:1×1P-1×20P

## 排针连接器系列

### Pin Header Connector Series

## 排母连接器

### Female Connector Series



1125系列  
5.08mm 排针单排180度

Spec:5.08mm Pitch Pin header Single Row  
Straight SQ1.14mm H2.5mm

Height:1.0mm

Positions:1×1P-1×20P



1125系列  
5.08mm 排针单排双排180度

Spec:5.08mm Pitch Pin header Single Row  
Straight SQ1.14mm H2.5mm

Height:1.0mm

Positions:1×1P-1×20P



1125系列  
5.08mm 排针单排双排90度

Spec:5.08mm Pitch Pin header Single Row  
Right Angle SQ1.14mm H2.5mm

Height:1.0mm

Positions:1×1P-1×20P



1125系列  
5.08mm 排针单排90度

Spec:5.08mm Pitch Pin header Single Row  
Right Angle SQ1.14mm H2.5mm

Height:1.0mm

Positions:1×1P-1×20P



1225系列  
2.54mm U型针

Spec:2.54mm Pitch Pin header U-Type  
SQ0.64mm H2.5mm

Height:1.0mm

Positions:1×3P



1225系列  
2.54mm 排针单排扁针180度

Spec:2.54mm Pitch Pin header Single Row  
Straight SQ0.64x1.0mm H2.5mm

Height:1.0mm

Positions:1×1P-1×40P



8100系列  
2.5mm 汽车排针SMT

Spec:2.5mm Pitch Automotive Connector-Pin  
header SMT H2.6mm

Height:1.0mm

Positions:1×3P



8100系列  
2.5mm 汽车排针180度

Spec:2.5mm Pitch Automotive Connector-Pin  
header Straight H3.2mm

Height:1.0mm

Positions:1×3P




12280系列  
2.54mm 伺服排针180度

Spec:2.54mm Pitch Servo System-pin header  
Straight H26.5/28mm

Height:1.0mm

Positions:1×10P-1×14P




7311系列  
1.778/2.54mm 光纤连接器180度

Spec:1.778/2.54mm Pitch Fiber Optic  
Connector Straight H3.7mm

Height:1.0mm

Positions:1×2P-1×40P



7311系列  
1.778/2.54mm 光纤连接器180度

Spec:1.778/2.54mm Pitch Fiber Optic  
Connector Straight H3.7mm

Height:1.0mm

Positions:1×2P-1×40P



2731系列  
0.8mm 排母双排180度

Spec:0.8mm Pitch Female header Dual Rows  
Straight H3.1mm

Height:1.0mm

Positions:2×1P-2×50P



2731系列  
0.8mm 排母双排SMT

Spec:0.8mm Pitch Female header Dual Rows  
SMT H3.1mm

Height:1.0mm

Positions:2×1P-2×50P



2620系列  
1.0mm 排母单排斜插

Spec:1.0mm Pitch Female header Single  
Row Right Angle SMT H2.0mm

Height:1.0mm

Positions:1×2P-1×50P



2620系列  
1.0mm 排母单排90度

Spec:1.0mm Pitch Female header Single Row  
Right Angle H2.0mm

Height:1.0mm

Positions:1×2P-1×50P



2620系列  
1.0mm 排母单排180度

Spec:1.0mm Pitch Female header Single  
Row Straight H2.0mm

Height:1.0mm

Positions:1×2P-1×50P



2620系列  
1.0mm 排母双排180度

Spec:1.0mm Pitch Female header Dual Rows  
Straight H2.0mm

Height:1.0mm

Positions:2×2P-2×50P



2620系列  
1.0mm 排母单排SMT

Spec:1.0mm Pitch Female header Single  
Row SMT H2.0mm

Height:1.0mm

Positions:1×2P-1×50P



2620系列  
1.0mm 排母双排SMT

Spec:1.0mm Pitch Female header Dual Rows  
SMT H2.0mm

Height:1.0mm

Positions:2×2P-2×50P



2420系列  
1.27mm 排母双排SMT

Spec:1.27mm Pitch Female header Dual Row  
SMT H2.0mm

Positions:2×2P-2×50P





2420系列  
1.27mm 排母单排SMT

Spec:1.27mm Pitch Female header Single Row SMT H2.0mm

Positions:1 × 2P-1 × 50P



2420系列  
1.27mm 排母双排180度

Spec:1.27mm Pitch Female header Dual Row Straight H2.0mm

Positions:2 × 2P-2 × 50P



2420系列  
1.27mm 排母双排180度

Spec:1.27mm Pitch Female header Dual Row Straight H2.0mm

Positions:2 × 2P-2 × 50P



2421系列  
1.27mm 排母双排SMT

Spec:1.27mm Pitch Female header Dual Row Bottom Entry H2.15mm

Positions:2 × 2P-2 × 50P



2434系列  
1.27mm 排母单排卧贴

Spec:1.27mm Pitch Female header Single Row Right Angle SMT H3.4mm

Positions:1 × 2P-1 × 50P



2434系列  
1.27mm 排母单排90度

Spec:1.27mm Pitch Female header Single Row Right Angle H3.4mm

Positions:1 × 2P-1 × 50P



2434系列  
1.27mm 排母双排180度

Spec:1.27mm Pitch Female header Dual Row Straight H3.4mm

Positions:2 × 2P-2 × 50P



2434系列  
1.27mm O型排母满底端子单排180度

Spec:1.27mm Pitch Female header O Type Full bottom type Single Row Straight H3.4mm

Positions:1 × 2P-1 × 50P



2434系列  
1.27mm U型排母满底端子单排180度

Spec:1.27mm Pitch Female header U Type Full bottom type Single Row Straight H3.4mm

Positions:1 × 2P-1 × 50P



2434系列  
1.27mm O型排母满底端子双排180度

Spec:1.27mm Pitch Female header O Type Full bottom type Single Row Straight H3.4mm

Positions:2 × 2P-2 × 50P



2434系列  
1.27mm 排母单排SMT

Spec:1.27mm Pitch Female header Single Row SMT H3.4mm

Positions:1 × 2P-1 × 50P



2434系列  
1.27mm 排母双排SMT

Spec:1.27mm Pitch Female header Dual Row SMT With CAP H3.4mm

Positions:2 × 2P-2 × 50P



2434系列  
1.27mm 排母双排SMT

Spec:1.27mm Pitch Female header Dual Row SMT H3.4mm

Positions:2 × 2P-2 × 50P



2434系列  
1.27mm 排母双排SMT带内柱

Spec:1.27mm Pitch Female header Dual Row SMT With Post H3.4mm

Positions:2 × 2P-2 × 50P



2434系列  
1.27mm U型排母满底端子双排SMT

Spec:1.27mm Pitch Female header U Type Full bottom type Dual Row Straight H3.4mm

Positions:2 × 2P-2 × 50P



2435系列  
1.27mm 排母双侧插90度

Spec:1.27mm Pitch Female header Dual Side Entry Right Angle H3.45mm

Positions:2 × 2P-2 × 50P



2435系列  
1.27mm 排母双侧插SMT

Spec:1.27mm Pitch Female header Dual Side Entry SMT H3.45mm

Positions:2 × 2P-2 × 50P



2443系列  
1.27mm 排母单排卧贴

Spec:1.27mm Pitch Female header Single Row Right Angle SMT H4.3mm

Positions:1 × 2P-1 × 50P



2434/43系列  
1.27mm 排母双排90度

Spec:1.27mm Pitch Female header Dual Row Right Angle H3.4/4.3mm

Positions:2 × 2P-2 × 50P



2443系列  
1.27mm U型排母满底端子单排180度

Spec:1.27mm Pitch Female header U Type Full bottom type Single Row Straight H4.3mm

Positions:1 × 2P-1 × 50P



2443系列  
1.27mm U型排母单排180度

Spec:1.27mm Pitch Female header U Type Single Row Straight H4.3mm

Positions:1×2P-1×50P



2443系列  
1.27mm O型排母满底端子单排180度

Spec:1.27mm Pitch Female header O Type Full bottom type Single Row Straight H4.3mm

Positions:1×2P-1×50P



2443系列  
1.27mm O型排母满底端子双排180度

Spec:1.27mm Pitch Female header O Type Full bottom type Single Row Straight H4.3mm

Positions:2×2P-2×50P



2443系列  
1.27mm 排母单排SMT

Spec:1.27mm Pitch Female header Single Row SMT H4.3mm

Positions:1×2P-1×50P



2443系列  
1.27mm 排母双排SMT

Spec:1.27mm Pitch Female header Dual Row SMT H4.3mm

Positions:2×2P-2×50P



2443系列  
1.27mm 排母双排SMT

Spec:1.27mm Pitch Female header Dual Row SMT H4.3mm

Positions:2×2P-2×50P



2443系列  
1.27mm 排母双排SMT带塑胶盖

Spec:1.27mm Pitch Female header Dual Row SMT With CAP H4.3mm

Positions:2×2P-2×50P



2434/43系列  
1.27mm 排母双排SMT带外柱

Spec:1.27mm Pitch Female header Dual Row SMT With Outside Post H3.4/4.3mm

Positions:2×2P-2×50P



2443系列  
1.27mm 排母双排SMT带内柱

Spec:1.27mm Pitch Female header Dual Row SMT With Inside Post H4.3mm

Positions:2×2P-2×50P



2443系列  
1.27mm 排母双排SMT带金属盖

Spec:1.27mm Pitch Female header Dual Row SMT With Metal CAP H4.3mm

Positions:2×2P-2×50P



2446系列  
1.27mm 排母单排180度

Spec:1.27mm Pitch Female header Single Row Straight H4.6mm

Positions:1×2P-1×50P



2457系列  
1.27mm 排母单排卧贴

Spec:Spec:1.27mm Pitch Female header Single Row Right Angle SMT H5.7mm

Positions:1×2P-1×50P



2485系列  
1.27mm 排母双排180度

Spec:1.27mm Pitch Female header Dual Row Straight H8.5mm

Positions:2×2P-2×50P



2485系列  
1.27mm 排母单排180度

Spec:1.27mm Pitch Female header Single Row Straight H8.5mm

Positions:1×2P-1×50P



2546系列  
1.27mmx2.54mm 排母双排180度

Spec:1.27mm Pitch Female header Dual Row Straight H4.6mm

Positions:2×2P-2×50P



2546系列  
1.27mmx2.54mm 排母双排SMT

Spec:1.27mm Pitch Female header Dual Row SMT H4.6mm

Positions:2×2P-2×50P



2557系列  
1.27mmx2.54mm 排母双排SMT

Spec:1.27mm Pitch Female header Dual Row SMT H5.7mm

Positions:2×2P-2×50P



2585系列  
1.27mmx2.54mm 排母双排SMT

Spec:1.27mm Pitch Female header Dual Row SMT H8.5mm

Positions:2×2P-2×50P



2320系列  
2.0mm 排母单排单边SMT

Spec:2.0mm Pitch Female header Single Row SMT H2.0mm

Positions:1×2P-1×40P



2320T系列  
2.0mm 排母双排SMT上插式

Spec:2.0mm Pitch Female header Dual Row Bottom Upper Side Entry SMT H2.0mm

Positions:2×2P-2×40P





2320系列  
2.0mm 排母单排SMT

Spec:2.0mm Pitch Female header Single Row  
SMT H2.0mm

Positions:1×2P-1×40P



2320系列  
2.0mm 排母双排180度

Spec:2.0mm Pitch Female header Dual Row  
Straight H2.0mm

Positions:2×2P-2×40P



2322系列  
2.0mm 排母双排SMT

Spec:2.0mm Pitch Female header Dual Row  
SMT H2.2mm

Positions:2×2P-2×40P



2328系列  
2.0mm 排母双排SMT

Spec:2.0mm Pitch Female header Dual Row  
SMT H2.8mm

Positions:2×2P-2×40P



2334系列  
2.0mm 排母双排90度

Spec:2.0mm Pitch Female header Dual Row  
Right Angle H3.4mm

Positions:2×2P-2×40P



2334系列  
2.0mm 排母单排90度

Spec:2.0mm Pitch Female header Single Row  
Right Angle H3.4mm

Positions:1×2P-1×40P



2334系列  
2.0mm 排母单排180度

Spec:2.0mm Pitch Female header Single Row  
Straight H3.4mm

Positions:1×2P-1×40P



2334系列  
2.0mm 排母双排180度

Spec:2.0mm Pitch Female header Dual Row  
Straight H3.4mm

Positions:2×2P-2×40P



2343系列  
2.0mm 排母双排90度

Spec:2.0mm Pitch Female header Dual Row  
Right Angle H4.3mm

Positions:2×2P-2×40P



2343系列  
2.0mm 排母双排180度塑宽4.0

Spec:2.0mm Pitch Female header Dual Row  
Straight H4.3mmxW4.0

Positions:2×2P-2×40P



2343系列  
2.0mm 排母双排180度塑宽4.5

Spec:2.0mm Pitch Female header Dual Row  
Straight H4.3mmxW4.5

Positions:2×2P-2×40P



2343系列  
2.0mm 排母单排单边蜈蚣脚

Spec:2.0mm Pitch Female header Single Row  
Bottom Entry H4.3mm

Positions:1×2P-1×40P



2343系列  
2.0mm 排母双排蜈蚣脚

Spec:2.0mm Pitch Female header Dual Row  
Bottom Entry H4.3mm

Positions:2\*2-2\*40P



2343系列  
2.0mm 排母单排蜈蚣脚

Spec:2.0mm Pitch Female header Single Row  
Bottom Entry H4.3mm

Positions:1\*2-1\*40P



2346系列  
2.0mm 排母单排180度

Spec:2.0mm Pitch Female header Single Row  
Straight H4.6mm

Positions:1\*2-1\*40P



2346系列  
2.0mm 排母单排SMT

Spec:2.0mm Pitch Female header Single Row  
SMT H4.6mm

Positions:1\*2-1\*40P



2346系列  
2.0mm 排母双排180度W4.0

Spec:2.0mm Pitch Female header Dual Row  
Straight H4.6xW4.0mm

Positions:2\*2-2\*40P



2349系列  
2.0mm 排母双排侧插SMT

Spec:2.0mm Pitch Female header Dual Side  
Entry SMT H4.9mm

Positions:2\*2-2\*40P



2358系列  
2.0mm 排母单排SMT

Spec:2.0mm Pitch Female header Single Row  
SMT H5.8mm

Positions:1\*2-1\*40P



2346系列  
2.0mm 排母双排180度W4.5

Spec:2.0mm Pitch Female header Dual Row  
Straight H4.6xW4.5mm

Positions:2\*2-2\*40P

# 排母连接器系列

## Female Header Connector Series



2349系列  
2.0mm 排母双侧插90度

**Spec:**2.0mm Pitch Female header Dual Side Entry Right Angle H4.9mm

**Positions:**2\*2-2\*40P



2363系列  
2.0mm 排母双排180度+排针胶芯

**Spec:**2.0mm Pitch Female header Dual Row Add H2.0 Plastic Straight H6.35mm

**Positions:**2\*2-2\*40P



2363系列  
2.0mm 排母三排180度+排针胶芯

**Spec:**2.0mm Pitch Female header Three Row Add H2.0 Plastic Straight H6.35mm

**Positions:**3\*2-3\*40P



2363系列  
2.0mm 排母双排180度+排针胶芯

**Spec:**2.0mm Pitch Female header Dual Row Add H1.5 Plastic Straight H6.35mm

**Positions:**2\*2-2\*40P



2363系列  
2.0mm 排母单排180度+排针胶芯

**Spec:**2.0mm Pitch Female header Single Row Add H2.0 Plastic Straight H6.35mm

**Positions:**1\*2-1\*40P



2363系列  
2.0mm 排母三排180度

**Spec:**2.0mm Pitch Female header Three Row Straight H6.35mm

**Positions:**3\*2-3\*40P



2363系列  
2.0mm 排母单排90度

**Spec:**2.0mm Pitch Female header Single Row Y type Right Angle H6.35mm

**Positions:**1\*2-1\*40P



2363系列  
2.0mm 排母单排卧贴

**Spec:**2.0mm Pitch Female header Single Row Right Angle SMT H6.35mm

**Positions:**1\*2-1\*40P



2365系列  
2.0mm 排母单排180度

**Spec:**2.0mm Pitch Female header Single Row Y type Straight H6.5mm

**Positions:**1\*2P-1\*40P



2365系列  
2.0mm 排母双排180度

**Spec:**2.0mm Pitch Female header Dual Row Y type Straight H6.5mm

**Positions:**2\*2-2\*40P



2372系列  
2.0mm 排母双排90度

**Spec:**2.0mm Pitch Female header Dual Row Right Angle H7.2mm

**Positions:**2\*2P-2\*40P



2393系列  
2.0mm 排母四排180度PC104端子

**Spec:**2.0mm Pitch Female header Quadruple Rows PC104 Terminal Straight H9.35mm

**Positions:**4\*2-4\*40P



2393系列  
2.0mm 排母四排180度免焊式端子

**Spec:**2.0mm Pitch Female header Quadruple Rows Press Fit Terminal Straight H9.35mm

**Positions:**4\*2-4\*40P



2393系列  
2.0mm 排母四排180度+排针胶芯

**Spec:**2.0mm Pitch Female header Quadruple Rows + Pin Header Plastic Straight H9.35mm

**Positions:**4\*2-4\*40P



2211系列  
2.54mm 排母双排180度

**Spec:**2.54mm Pitch Female header Dual Row Straight H11.0mm

**Positions:**2\*2P-2\*40P



2211系列  
2.54mm 排母双排180度免焊式

**Spec:**2.54mm Pitch Female header Dual Row Straight Press Fit H11.0mm

**Positions:**2\*32P+2\*20P



2235系列  
2.54mm 排母双排180度

**Spec:**2.54mm Pitch Female header Dual Row Straight H3.5mm

**Positions:**2\*2P-2\*40P



2235系列  
2.54mm 排母单排180度

**Spec:**2.54mm Pitch Female header Single Row Straight H3.5mm

**Positions:**1\*2P-1\*40P



2235系列  
2.54mm 排母双排SMT

**Spec:**2.54mm Pitch Female header Dual Row SMT H3.5mm

**Positions:**2\*2P-2\*40P



2235系列  
2.54mm 排母双排卧式松脚

**Spec:**2.54mm Pitch Female header Dual Row Bottom Entry H3.5mm

**Positions:**2\*2P-2\*40P





2235系列  
2.54mm 排母单排螺脚

Spec:2.54mm Pitch Female header Single Row Bottom Entry H3.5mm

Positions:1 × 2P-1 × 40P



2250系列  
2.54mm 排母双排SMT

Spec:2.54mm Pitch Female header Dual Row SMT H5.0mm

Positions:2 × 2P-2 × 40P



2250系列  
2.54mm 排母双排180度

Spec:2.54mm Pitch Female header Dual Row Straight H5.0mm

Positions:2 × 2P-2 × 40P



2250系列  
2.54mm 排母单排180度

Spec:2.54mm Pitch Female header Single Row Straight H5.0mm

Positions:1 × 2P-1 × 40P



2250系列  
2.54mm 排母单排180度

Spec:2.54mm Pitch Female header Single Row Straight H5.0mm

Positions:1 × 2-1 × 40P



2257系列  
2.54mm 排母双排90度

Spec:2.54mm Pitch Female header Dual Row Right Angle H5.7mm

Positions:2 × 2P-2 × 40P



2257系列  
2.54mm 排母单排90度

Spec:2.54mm Pitch Female header Single Row Right Angle H5.7mm

Positions:1 × 2P-1 × 40P



2257系列  
2.54mm 排母双排SMT

Spec:2.54mm Pitch Female header Dual Row SMT H5.7mm

Positions:2 × 2P-2 × 40P



2257系列  
2.54mm 排母单排180度

Spec:2.54mm Pitch Female header Single Row Straight H5.7mm

Positions:1 × 2-1 × 40P



2257/85系列  
2.54mm 排母单排卧贴

Spec:2.54mm Pitch Female header Single Row Right Angle SMT H5.7/8.5mm

Positions:1 × 2P-1 × 40P



2257/85系列  
2.54mm 排母双排卧贴

Spec:2.54mm Pitch Female header Dual Row Right Angle SMT H5.7/8.5mm

Positions:2 × 2P-2 × 40P



2259系列  
2.54mm 排母双排插SMT

Spec:2.54mm Pitch Female header Dual Side Entry SMT H5.9mm

Positions:2 × 2P-2 × 40P



2259系列  
2.54mm 排母双排侧插90度

Spec:2.54mm Pitch Female header Dual Side Entry Right Angle H5.9mm

Positions:2 × 2P-2 × 40P



2260/68系列  
2.54mm 排母双排四面包SMT

Spec:2.54mm Pitch Female header Dual Row SMT H6.0/6.8mm

Positions:2 × 2P-2 × 40P



2260/68系列  
2.54mm 排母双排四面包180度

Spec:2.54mm Pitch Female header Dual Row Straight H6.0/6.8mm

Positions:2 × 2P-2 × 40P



2260/68系列  
2.54mm 排母单排四面包180度

Spec:2.54mm Pitch Female header Single Row Straight H6.0/6.8mm

Positions:2 × 2P-2 × 40P



2271系列  
2.54mm 排母双排90度

Spec:2.54mm Pitch Female header Dual Row Right Angle H7.1mm

Positions:2 × 2P-2 × 40P



2271系列  
2.54mm 排母单排180度

Spec:2.54mm Pitch Female header Single Row Straight H7.1mm

Positions:1 × 2P-1 × 40P



2271系列  
2.54mm 排母双排180度

Spec:2.54mm Pitch Female header Dual Row Straight H7.1mm

Positions:2 × 2P-2 × 40P



2271系列  
2.54mm 排母单排180度

Spec:2.54mm Pitch Female header Single Row Straight H7.1mm

Positions:1 × 2-1 × 40P

# 排母连接器系列

## Female Header Connector Series



2271系列  
2.54mm 排母单排SMT

Spec:2.54mm Pitch Female header Single Row SMT H7.1mm

Positions:1 × 2P-1 × 40P



2281系列  
2.54mm 排母单侧插SMT

Spec:2.54mm Pitch Female header Single Side Entry SMT H8.1mm

Positions:1 × 2P-1 × 40P



2285系列  
2.54mm 排母三排90度

Spec:2.54mm Pitch Female header Triple Rows Right Angle H8.5mm

Positions:3 × 2-3 × 40P



2285系列  
2.54mm 排母双排卧贴

Spec:2.54mm Pitch Female header Dual Rows Right Angle SMT H8.5mm

Positions:2 × 2P-2 × 40P



2285系列  
2.54mm 易折式排母双排180度

Spec:2.54mm Pitch Female header Dual Rows Straight H8.5mm

Positions:2 × 2-2 × 40P



2280系列  
2.54mm 排母单排180度

Spec:2.54mm Pitch Female header Single Row Straight H8.0mm

Positions:1 × 2P-1 × 40P



2283系列  
2.54mm 排母双排180度+排针胶芯

Spec:2.54mm Pitch Female header Dual Row Add H2.5 Plastic Straight H8.3mm

Positions:2 × 2P-2 × 40P



2285系列  
2.54mm 排母双排卧贴

Spec:2.54mm Pitch Female header Dual Rows Right Angle SMT H8.5mm

Positions:2 × 2P-2 × 40P



2285系列  
2.54mm 排母双排SMT

Spec:2.54mm Pitch Female header Dual Rows SMT H8.5mm

Positions:2 × 2-2 × 40P



2280系列  
2.54mm 排母双排180度

Spec:2.54mm Pitch Female header Dual Row Straight H8.0mm

Positions:2 × 2P-2 × 40P



2285系列  
2.54mm 排母双排90度带凸

Spec:2.54mm Pitch Female header Dual Row Right Angle H8.5mm

Positions:2 × 2P-2 × 40P



2285系列  
2.54mm 排母单排180度

Spec:2.54mm Pitch Female header Single Row Straight H8.5mm

Positions:1 × 2P-1 × 40P



2285系列  
2.54mm 排母双排180度

Spec:2.54mm Pitch Female header Dual Rows Straight H8.5mm

Positions:2 × 2P-2 × 40P



2281系列  
2.54mm 排母单侧插90度

Spec:2.54mm Pitch Female header Single Side Entry Right Angle H8.1mm

Positions:1 × 2P-1 × 40P



2285系列  
2.54mm 排母三排90度

Spec:2.54mm Pitch Female header Triple Rows Right Angle H8.5mm

Positions:3 × 2P-3 × 40P



2285系列  
2.54mm 排母双排180度

Spec:2.54mm Pitch Female header Dual Rows Straight H8.5mm

Positions:2 × 2P-2 × 40P



2285系列  
2.54mm 排母三排180度

Spec:2.54mm Pitch Female header Triple Rows Straight H8.5mm

Positions:3 × 2P-3 × 40P



2285系列  
2.54mm 易折式排母单排180度

Spec:2.54mm Pitch Female header Single Row Straight H8.5mm

Positions:1 × 2-1 × 40P



2285系列  
2.54mm 排母单排180度

Spec:2.54mm Pitch Female header Single Row Straight H8.5mm

Positions:1 × 2-1 × 40P



2285系列  
2.54mm 排母双排180度+排针胶芯

Spec:2.54mm Pitch Female header Dual Row Stack H2.5 Plastic Straight H8.5mm

Positions:2 × 2P-2 × 40P





2285系列  
2.54mm 排母双排180度+排针3塑胶芯  
Spec:2.54mm Pitch Female header Dual Row  
Stack 3H2.5 Plastic Straight H8.5mm  
Positions:2×2-2×40P



2285系列  
2.54mm 排母双排180度+排针4塑胶芯  
Spec:2.54mm Pitch Female header Dual Row  
Stack 4H2.5 Plastic Straight H8.5mm  
Positions:2×2-2×40P



2285系列  
2.54mm 排母双排SMT+排针胶芯  
Spec:2.54mm Pitch Female header Dual Row  
Stack H2.5 Plastic SMT H8.5mm  
Positions:2×2-2×40P



2285系列  
2.54X8.5PF/180° /免焊接式  
Spec:2.54mm Female Header H8.5 DIP Type  
Welding-free Terminal Type PC4.0(PC11.0)  
Positions:2-80P



2218B系列  
2.54新一代智能电表排母 多面接触端子  
Spec:2.54mm Pitch Female Header  
Multifaceted Contact  
Height:18.1mm  
Positions:2×2-2×40P



8525系列  
2.54mm D型蜈蚣脚排母单排  
Spec:2.54mm Pitch Female header Single Row  
D type bottom entry H5.0mm  
Positions:3-25P



8525系列  
2.54mm D型蜈蚣脚排母双排  
Spec:2.54mm Pitch Female header Dual Row  
D type bottom entry H5.0mm  
Positions:12-46P



2989系列  
3.96mm 排母单排180度  
Spec:3.96mm Pitch Female header Single Row  
Straight H8.9mm  
Positions:1×2-1×20P



2989系列  
3.96mm 排母单排SMT  
Spec:3.96mm Pitch Female header Single Row  
SMT H8.9mm  
Positions:1×2-1×20P



2189系列  
5.08mm 排母单排SMT  
Spec:5.08mm Pitch Female header Single Row  
SMT H8.9mm  
Positions:1×2-1×20P



2189系列  
5.08mm 排母单排180度  
Spec:5.08mm Pitch Female header Single Row  
Straight H8.9mm  
Positions:1×2-1×20P



7520系列  
5.08mm 大4P排母  
Spec:5.08mm Pitch Big 4P Female header  
H14.8mm  
Positions:4P



7520系列  
2.54mm SMT特殊40P排母  
Spec:2.54mm Pitch 40P Female header SMT  
H14.7mm  
Positions:40P

短路帽系列  
Mini Jumper Series

筒牛连接器系列  
Box Header Connector Series



3811系列  
2.0mm 短路帽

Spec:2.0mm Pitch Mini Jumper H3.5/4.5/5.0/9.5mm  
Positions:1×2P



3810系列  
2.54mm 短路帽

Spec:2.54mm Pitch Mini Jumper H4.5/6.0/6.5/8.0/13.5mm  
Positions:1×2P-2×5P




3812系列  
1.27mm 短路帽

Spec:1.27mm Pitch Mini Jumper H3.0/3.5mm  
Positions:1×2-2×2P



3813系列  
5.08mm 短路帽

Spec:5.08mm Pitch Mini Jumper H10.0mm  
Positions:1×2P



3251系列  
1.0mm 筒牛SMT

Spec:1.0mm Pitch Box header SMT H3.5mm  
Positions:10-100P



3233/34/35系列  
1.27mm 加高型筒牛SMT

Spec:1.27mm Pitch Heighten Type Box header SMT H9.0/9.9/17.8mm  
Positions:10-100P



3232系列  
1.27mm 筒牛SMT加排针胶芯

Spec:1.27mm Pitch Box header SMT Stack Pin Header Plastic H5.7mm  
Positions:6-80P



3232系列  
1.27mm 筒牛90度带鱼叉

Spec:1.27mm Pitch Box header Right Angle H5.7mm With Harpoon  
Positions:6-80P



3232系列  
1.27mm 筒牛180度

Spec:1.27mm Pitch Box header Straight H5.7mm  
Positions:6-80P



3232系列  
1.27mm 筒牛90度

Spec:1.27mm Pitch Box header Right Angle H5.7mm  
Positions:6-80P



3232系列  
1.27mm 筒牛SMT

Spec:1.27mm Pitch Box header SMT H5.7mm  
Positions:6-80P



3231系列  
1.27mm 筒牛90度

Spec:1.27mm Pitch Box header Right Angle H5.4mm  
Positions:6-80P





3230系列  
1.27mm 筒牛中间带缺口180度  
Spec:1.27mm Pitch Box header Straight  
H4.9mm  
Positions:6-68P



3232系列  
2.0mm 排针单排90度  
Spec:1.27mm Pitch Box header SMT H5.7mm  
Positions:6-80P



3240系列  
1.27x2.54mm 四排脚筒牛  
Spec:1.27x2.54mm Pitch Box header  
Quadruple Rows Straight H5.6mm  
Positions:10-100P



3240系列  
1.27x2.54mm 筒牛中间带缺口180度  
Spec:1.27x2.54mm Pitch Box header With  
Middle Notch Straight H5.6mm  
Positions:10-100P



3240系列  
1.27x2.54mm 筒牛中间带缺口90度  
Spec:1.27x2.54mm Pitch Box header With  
Middle Notch Right Angle H5.6mm  
Positions:10-100P



3240系列  
1.27x2.54mm 筒牛180度+排针胶芯  
Spec:1.27x2.54mm Pitch Box header Straight  
Stack Pin Headr Plastic H5.6mm  
Positions:10-100P



3243系列  
1.27x2.54mm 筒牛A型 SMT  
Spec:1.27x2.54mm Pitch Box header A type  
SMT H11.0mm  
Positions:10-100P



3240系列  
1.27x2.54mm 筒牛SMT+排针胶芯  
Spec:1.27x2.54mm Pitch Box header SMT  
Stack Pin Header Plastic H5.6mm  
Positions:10-100P



3240系列  
1.27x2.54mm 筒牛SMT  
Spec:1.27x2.54mm Pitch Box header SMT  
H5.6mm  
Positions:10-100P



3242系列  
1.27x2.54mm 筒牛180度+排针胶芯  
Spec:1.27x2.54mm Pitch Box header Straight  
Add Pin Headr Plastic H10.0mm  
Positions:10-100P



3220系列  
2.0mm 筒牛180度+排针胶芯  
Spec:2.0mm Pitch Box header Straight Add  
Pin Headr Plastic H5.7mm  
Positions:6-90P



3221系列  
2.0mm 筒牛SMT+排针胶芯  
Spec:2.0mm Pitch Box header SMT Add Pin  
Headr Plastic H6.35mm  
Positions:6-64P



3220系列  
2.0mm 筒牛180度两端带胶芯  
Spec:2.0mm Pitch Box header Straight  
H5.7mm  
Positions:6-90P



3221系列  
2.0mm 筒牛180度+排针胶芯  
Spec:2.0mm Pitch Box header Straight Add  
Pin Headr Plastic H6.35mm  
Positions:6-64P



3220系列  
2.0mm 筒牛90度+排针胶芯  
Spec:2.0mm Pitch Box header Right Angle  
Add Pin Headr Plastic H5.7mm  
Positions:6-90P



3221系列  
2.0mm 筒牛90度  
Spec:2.0mm Pitch Box header Right Angle  
H6.35mm  
Positions:6-64P



3221系列  
2.0mm 筒牛SMT  
Spec:2.0mm Pitch Box header SMT H6.35mm  
Positions:6-64P



3220系列  
2.0mm 筒牛蜗轮脚端子  
Spec:2.0mm Pitch Box header Bottom Entry  
H5.7mm  
Positions:6-90P



3220系列  
2.0mm 筒牛SMT带柱  
Spec:2.0mm Pitch Box header SMT With Post  
H5.7mm  
Positions:6-90P



3220系列  
2.0mm 筒牛SMT+排针胶芯  
Spec:2.0mm Pitch Box header SMT Stack Pin  
Headr Plastic H5.7mm  
Positions:6-90P

# 筒牛连接器系列

## Box Header Connector Series



3220系列  
2.0mm 筒牛90度

**Spec:**2.0mm Pitch Box header Right Angle H5.7mm  
**Positions:**6-90P



3224系列  
2.0mm 筒牛180度

**Spec:**2.0mm Pitch Box header Straight H4.8mm  
**Positions:**6-64P



3220系列  
2.0mm 筒牛SMT

**Spec:**2.0mm Pitch Box header SMT H5.7mm  
**Positions:**6-90P



3220系列  
2.0mm 筒牛90度

**Spec:**2.0mm Pitch Box header Right Angle H5.7mm  
**Positions:**6-90P



3220系列  
2.0mm 筒牛180度

**Spec:**2.0mm Pitch Box header Straight H5.7mm  
**Positions:**6-90P



3216系列  
2.54mm 筒牛A型180度

**Spec:**2.54mm Pitch Box header A type Straight H8.4mm  
**Positions:**6-64P



3210系列  
2.54mm 筒牛180度+排针胶芯

**Spec:**2.54mm Pitch Box header Straight Add Pin Headr Plastic H8.8mm  
**Positions:**6-64P



3214系列  
2.54mm 带金属钩筒牛90度

**Spec:**2.54mm Pitch Box header Right Angle With Metal Lacth H9.7mm  
**Positions:**6-64P



3214系列  
2.54mm 带金属钩筒牛180度

**Spec:**2.54mm Pitch Box header Straight With Metal Lacth H9.7mm  
**Positions:**6-64P



3214系列  
2.54mm 带金属钩筒牛SMT

**Spec:**2.54mm Pitch Box header SMT With Metal Lacth H9.7mm  
**Positions:**6-64P



3215系列  
2.54mm 带塑胶筒牛180度

**Spec:**2.54mm Pitch Box header Straight With Metal Lacth H8.8mm  
**Positions:**6-64P



3210系列  
2.54mm 筒牛180度+双塑排针胶芯

**Spec:**2.54mm Pitch Box header Straight Add Pin Headr Plastic H8.8mm  
**Positions:**6-64P



3210系列  
2.54mm 筒牛蜈蚣脚端子+双塑排针胶芯

**Spec:**2.54mm Pitch Box header Bottom Entry Add Pin Headr Plastic H8.8mm  
**Positions:**6-64P



3210系列  
2.54mm 筒牛蜈蚣脚端子

**Spec:**2.54mm Pitch Box header Bottom Entry H8.8mm  
**Positions:**6-64P



3210系列  
2.54mm 筒牛SMT+排针胶芯

**Spec:**2.54mm Pitch Box header SMT Add Pin Headr Plastic H8.8mm  
**Positions:**6-64P



3217系列  
2.54mm 筒牛180度

**Spec:**2.54mm Pitch Box header Straight H13.6mm  
**Positions:**6-64P



3214系列  
2.54mm 筒牛无钩型180度

**Spec:**2.54mm Pitch Box header Straight H9.7mm  
**Positions:**6-64P



3210系列  
2.54mm 筒牛180度

**Spec:**2.54mm Pitch Box header Straight H8.8mm  
**Positions:**6-64P



3210系列  
2.54mm 筒牛SMT

**Spec:**2.54mm Pitch Box header SMT H8.8mm  
**Positions:**6-64P



3210系列  
2.54mm 筒牛180度+排针胶芯

**Spec:**2.54mm Pitch Box header Straight Add Pin Headr Plastic H8.8mm  
**Positions:**6-64P





3210系列  
2.54mm 筒牛180度+排针胶芯

Spec:2.54mm Pitch Box header Straight Add  
Pin Headr Plastic H8.8mm

Positions:6-64P



3210系列  
2.54mm 筒牛180度+4型排针胶芯

Spec:2.54mm Pitch Box header Straight Add  
Pin Headr Plastic H8.8mm

Positions:6-64P



3210系列  
2.54mm 筒牛螺脚端子+单型排针胶芯

Spec:2.54mm Pitch Box header Bottom Entry  
Add Pin Headr Plastic H8.8mm

Positions:6-64P



3210系列  
2.54mm 筒牛90度

Spec:2.54mm Pitch Box header Right Angle  
H8.8mm

Positions:6-64P



3210系列  
2.54mm 筒牛90度+排针胶芯

Spec:2.54mm Pitch Box header Right Angle  
Add Pin Headr Plastic H8.8mm

Positions:6-64P



JL2547S系列  
2.54mm带围堵免焊式针座

Spec:2.54mm Pitch Pin Connector With Wall  
Solderless

Positions:2×4P



3911系列  
2.0mm 压排筒牛

Spec:2.0mm Pitch IDC Type Box header

Positions:6-64P



3910系列  
2.54mm 压排筒牛带耳

Spec:2.54mm Pitch IDC Type Box header

Positions:6-64P



3910系列  
2.54mm 压排筒牛无耳

Spec:2.54mm Pitch IDC Type Box header

Positions:6-64P



3910系列  
2.54mm 压排筒牛无耳

Spec:2.54mm Pitch IDC Type Box header

Positions:6-64P



3910系列  
2.54mm 压排筒牛带耳

Spec:2.54mm Pitch IDC Type Box header

Positions:6-64P



3330系列  
1.27mm 牛角180度

Spec:1.27mm Pitch Ejector header Straight

Positions:6-80P



3340系列  
1.27x2.54mm 牛角SMT

Spec:1.27x2.54mm Pitch Ejector header SMT

Positions:10-100P



3340系列  
1.27x2.54mm 牛角90度

Spec:1.27x2.54mm Pitch Ejector header Right  
Angle

Positions:10-100P



3340系列  
1.27x2.54mm 牛角SMT

Spec:1.27x2.54mm Pitch Ejector header SMT

Positions:10-100P



3340系列  
1.27x2.54mm 牛角180度

Spec:1.27x2.54mm Pitch Ejector header  
Straight

Positions:10-100P



3340系列  
1.27x2.54mm 牛角四排180度

Spec:1.27x2.54mm Pitch Ejector header  
Quadruple Rows Straight

Positions:10-100P



3330系列  
1.27mm 牛角90度

Spec:1.27mm Pitch Ejector header Right Angle

Positions:6-80P



3330系列  
1.27mm 牛角SMT

Spec:1.27mm Pitch Ejector header SMT

Positions:6-80P



3330系列  
1.27mm 牛角180度

Spec:1.27mm Pitch Ejector header Straight

Positions:6-80P

# 牛角连接器系列

## Ejector Header Connector Series



3330系列  
1.27mm 牛角配三件式SMT

Spec:1.27mm Pitch Ejector header+3Pieces SMT

Positions:6-80P



3320系列  
2.0mm 牛角180度

Spec:2.0mm Pitch Ejector header Straight

Positions:6-68P



3320系列  
2.0mm 牛角90度

Spec:2.0mm Pitch Ejector header Right Angle

Positions:6-68P



3320系列  
2.0mm 牛角SMT

Spec:2.0mm Pitch Ejector header SMT

Positions:6-68P



3321系列  
2.0mm 小耳带铁销牛角SMT

Spec:2.0mm Pitch Ejector header Iron Bolt SMT

Positions:6-64P



3310系列  
2.54mm 牛角90度

Spec:2.54mm Pitch Ejector header Right Angle

Positions:6-64P



3310系列  
2.54mm 牛角蜈蚣脚端子+单塑排针胶芯

Spec:2.54mm Pitch Ejector header Bottom Entry Add Pin Headr Plastic

Positions:6-64P



3310系列  
2.54mm 牛角SMT+排针胶芯

Spec:2.54mm Pitch Ejector header SMT Add Pin Header Plastic

Positions:6-64P



3310系列  
2.54mm 牛角SMT

Spec:2.54mm Pitch Ejector header SMT

Positions:6-64P



3311系列  
2.54mm 小耳带铁销牛角90度正向

Spec:2.54mm Pitch Ejector header Iron Bolt Right Angle

Positions:6-64P



3311系列  
2.54mm 小耳带铁销牛角90度反向

Spec:2.54mm Pitch Ejector header Iron Bolt Right Angle

Positions:6-64P



3310系列  
2.54mm 牛角180度灰色

Spec:2.54mm Pitch Ejector header Straight

Positions:6-64P



3310系列  
2.54mm 牛角180度黑色

Spec:2.54mm Pitch Ejector header Straight

Positions:6-64P



3311系列  
2.54mm 小耳带铁销牛角180度灰色

Spec:2.54mm Pitch Ejector header Iron Bolt Straight

Positions:6-64P



3311系列  
2.54mm 小耳带铁销牛角180度黑色

Spec:2.54mm Pitch Ejector header Iron Bolt Straight

Positions:6-64P



3921系列  
2.0mm 压排牛角

Spec:2.0mm Pitch IDC Type Ejector header

Positions:6-68P



3921系列  
2.54mm 压排带耳牛角

Spec:2.54mm Pitch IDC Type Ejector header

Positions:6-68P



3920系列  
2.54mm 压排牛角

Spec:2.54mm Pitch IDC Type Ejector header

Positions:6-64P



3920系列  
2.54mm 压排牛角

Spec:2.54mm Pitch IDC Type Ejector header

Positions:6-64P



3920系列  
2.54mm 压排牛角

Spec:2.54mm Pitch IDC Type Ejector header

Positions:6-64P





3920系列  
2.54mm 压排牛角带耳

Spec:2.54mm Pitch IDC Type Ejector header  
Positions:6-64P



3920系列  
2.54mm 压排牛角黑色

Spec:2.54mm Pitch IDC Type Ejector header  
Positions:6-64P



5332系列  
1.27mm IDC黑色

Spec:1.27mm Pitch IDC Socket  
Positions:6-80P



5332系列  
1.27mm IDC黑色三件式

Spec:1.27mm Pitch IDC Socket With strain relief 3Pieces  
Positions:6-80P



5332系列  
1.27mm IDC黑色加厚中盖

Spec:1.27mm Pitch IDC Socket  
Positions:6-80P



5343系列  
1.27x2.54mm IDC黑色二件式

Spec:1.27x2.54mm Pitch IDC Socket 2Pieces  
Positions:8-100P



5344系列  
1.27x2.54mm IDC二件式带不锈钢蝴蝶扣

Spec:1.27x2.54mm Pitch IDC Socket  
Positions:10-100P



5344系列  
1.27x2.54mm IDC二件式带不锈钢蝴蝶扣

Spec:1.27x2.54mm Pitch IDC Socket 2Pieces  
Positions:10-100P



5343系列  
1.27x2.54mm IDC黑色三件式

Spec:1.27x2.54mm Pitch IDC Socket With strain relief 3Pieces  
Positions:8-100P



5323系列  
2.0mm IDC单接触黑色二件式

Spec:2.0mm Pitch IDC Socket 2Pieces  
Positions:6-68P



5323系列  
2.0mm IDC单接触黑色三件式

Spec:2.0mm Pitch IDC Socket With strain relief 3Pieces  
Positions:6-68P



5326系列  
2.0mm IDC双接触黑色二件式

Spec:2.0mm Pitch IDC Socket 2Pieces  
Positions:6-68P



5327系列  
2.0mm IDC短体黑色二件式

Spec:2.0mm Pitch IDC Socket Short type  
Positions:6-64P



5324系列  
2.0mm IDC B款黑色二件式

Spec:2.0mm Pitch IDC Socket B-Type Black  
Positions:6-30P



5325系列  
2.0mm IDC 飞机头系列

Spec:2.0mm Pitch IDC Socket Black  
Positions:10-50P



5315系列  
2.54mm IDC 单排系列

Spec:2.54mm Pitch IDC Socket Black  
Positions:8-24P



5313系列  
2.54mm IDC单接触三件式

Spec:2.54mm Pitch IDC Socket With strain relief 3Pieces  
Positions:6-64P



5313系列  
2.54mm IDC单接触 蝴蝶扣三件式

Spec:2.54mm Pitch IDC Socket With strain relief 3Pieces  
Positions:6-64P



5314系列  
2.54mm IDC双接触三件式

Spec:2.54mm Pitch IDC Socket Dual contact With strain relief 3Pieces  
Positions:6-64P



5314系列  
2.54mm IDC双接触二件式

Spec:2.54mm Pitch IDC Socket Dual contact 2Pieces  
Positions:6-64P



5314系列  
2.54mm IDC双接触 蝴蝶扣三件式

**Spec:**2.54mm Pitch IDC Socket Dual contact  
With strain relief 3Pieces

**Positions:**6-64P



5314系列  
2.54mm IDC双接触二件式

**Spec:**2.54mm Pitch IDC Socket Dual contact  
2Pieces

**Positions:**6-64P



JL2548M系列  
JU254 IDC压线头

**Spec:**JU254 IDC Socket Connector

**Positions:**2 × (8/13/17/25)P



JL2548S系列  
JU254 IDC压线头

**Spec:**JU254 IDC Socket Connector

**Positions:**2 × 10P



5430系列  
1.27mm DIP黑色

**Spec:**1.27mm Pitch DIP Plug

**Positions:**6-80P



5430系列  
1.27mm DIP黑色

**Spec:**1.27mm Pitch DIP Plug

**Positions:**6-80P



5440系列  
1.27x2.54mm DIP黑色

**Spec:**1.27x2.54mm Pitch DIP Plug

**Positions:**10-80P



5440系列  
1.27x2.54mm DIP黑色

**Spec:**1.27x2.54mm Pitch DIP Plug

**Positions:**10-80P



5441系列  
1.27FD D型四排压线式二件套

**Spec:**1.27FD D-Type 4 Row Crimping  
Connector Two Part

**Positions:**10-100P



5443系列  
1.27FD 四排压线式三件套

**Spec:**1.27FD 4 Row Crimping Connector  
Three Part

**Positions:**10-100P



5420系列  
2.0mm DIP黑色

**Spec:**2.0mm Pitch DIP Plug

**Positions:**6-60P



5420系列  
2.0mm DIP黑色

**Spec:**2.0mm Pitch DIP Plug

**Positions:**6-60P



5460系列  
2.54x15.24mm DIP黑色

**Spec:**2.54x15.24mm Pitch DIP Plug

**Positions:**8-40P



5410系列  
2.54mm DIP黑色

**Spec:**2.54mm Pitch DIP Plug

**Positions:**6-64P



5410系列  
2.54mm DIP黑色打K脚

**Spec:**2.54mm Pitch DIP Plug

**Positions:**6-64P



5450系列  
2.54x7.62mm DIP黑色

**Spec:**2.54x7.62mm Pitch DIP Plug

**Positions:**8-40P



5460系列  
2.54x15.24mm DIP黑色反脚位

**Spec:**2.54x15.24mm Pitch DIP Plug

**Positions:**8-40P



5481系列  
2.54 CE连接器

**Spec:**2.54mm CE Connector

**Positions:**10-64P



5480系列  
2.54 SLOD 90度 连接器

**Spec:**2.54mm SLOD Right Angle Connector

**Positions:**6-98P



5480系列  
2.54 SLOD 180度 连接器

**Spec:**2.54mm SLOD Straight Connector


**Positions:**6-98P





4000系列  
红色IDC 公座 180度

Spec:Micro Match Connector Male Straight  
Positions:4-26P



4000系列  
红色IDC 公座 SMT

Spec:Micro Match Connector Male SMT  
Positions:4-26P



4000系列  
红色IDC 母座有耳 SMT

Spec:Micro Match Connector Female With Latch SMT  
Positions:4-26P



4000系列  
红色IDC 母座无耳 180度

Spec:Micro Match Connector Female Without Latch Straight  
Positions:4-26P




4000系列  
红色IDC 母座无耳 180度

Spec:Micro Match Connector Female Without Latch Straight  
Positions:4-26P



4000系列  
红色IDC 母座无耳 180度

Spec:Micro Match Connector Female Without Latch Straight  
Positions:4-26P



4000系列  
红色IDC 母座有耳 180度

Spec:Micro Match Connector Female With Latch Straight  
Positions:4-26P



4000系列  
红色IDC 母座无耳 SMT

Spec:Micro Match Connector Female Without Latch SMT  
Positions:4-26P



4000系列  
红色IDC 母座有耳 90度

Spec:Micro Match Connector Female With Latch Right Angle  
Positions:4-26P



4000系列  
红色IDC 母座无耳 90度

Spec:Micro Match Connector Female Without Latch Right Angle  
Positions:4-26P



4000系列  
红色IDC 压线式公座长脚短耳有缺

Spec:Micro Match Connector Male IDC Type With gap  
Positions:4-26P



4000系列  
红色IDC 压线式公座长脚短耳无缺

Spec:Micro Match Connector Male IDC Type Without gap  
Positions:4-26P



4100系列  
白色IDC 压线式母座长脚

Spec:1.27mm Picoflex Connector Female IDC type with long tail  
Positions:4-26P



4000系列  
红色IDC 压线式公座短脚长耳有缺

Spec:Micro Match Connector Male IDC Type With gap  
Positions:4-26P



4000系列  
红色IDC 压线式公座短脚长耳无缺

Spec:Micro Match Connector Male IDC Type Without gap  
Positions:4-26P



4100系列  
白色IDC 压线式母座

Spec:1.27mm Picoflex Connector Female IDC Type  
Positions:4-26P



4100系列  
M型 板端 SMT

Spec:1.27mm Picoflex Connector Male SMT  
Positions:4-26P



4100系列  
M型 板端 180度

Spec:1.27mm Picoflex Connector Male Straight  
Positions:4-26P



4100系列  
M型 板端 90度

Spec:1.27mm Picoflex Connector Male Right Angle  
Positions:4-26P

**PLC连接器系列**  
PLC Connector Series

**欧式插座连接器系列**  
DIN Male/Female 41612



5482系列  
2.54PLC 180° 板端公座

**Spec:**2.54mm Pitch PLC Male  
Straight Connector  
**Positions:**40P



5482系列  
2.54PLC 两件式压线母座

**Spec:** 2.54mm Pitch PLC Female Connector  
Crimping Type  
**Positions:**40P



5482系列  
2.54PLC 螺杆式压线母座

**Spec:**2.54mm Pitch PLC Female Connector  
Spiral Crimping Type  
**Positions:**40P



5482系列  
2.54PLC 90° 板端公座

**Spec:**2.54mm Pitch PLC Male Right Angle  
Connector  
**Positions:**40P



92202MR系列  
PLC刀片式插座

**Spec:**PLC Blade Socket  
**Positions:**7P



3511系列  
欧式插座 二排 弯公

**Spec:**Din 41612 Connector Dual Row Right  
Angle Male  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 弯母

**Spec:**Din 41612 Connector Dual Row Right  
Angle Female  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 直母

**Spec:**Din 41612 Connector Dual Row Straight  
Female  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 直公

**Spec:**Din 41612 Connector Dual Row Straight  
Male  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 弯母

**Spec:**Din 41612 Connector Dual Row Right  
Angle Female  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 直公

**Spec:**Din 41612 Connector Dual Row Straight  
Male  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 直母

**Spec:**Din 41612 Connector Dual Row Straight  
Female  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 弯公

**Spec:**Din 41612 Connector Dual Row Right  
Angle Male  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 直母弯公组合

**Spec:**Din 41612 Connector Dual Row Straight  
Female Right Angle Male Combination  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 直公

**Spec:**Din 41612 Connector Dual Row Straight  
Male  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 弯母

**Spec:**Din 41612 Connector Dual Row Right  
Angle Female  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 弯母

**Spec:**Din 41612 Connector Dual Row Right  
Angle Female  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 弯公

**Spec:**Din 41612 Connector Dual Row Right  
Angle Male  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 直母

**Spec:**Din 41612 Connector Dual Row Straight  
Female  
**Positions:**2×8P - 2×32P



3511系列  
欧式插座 二排 直母

**Spec:**Din 41612 Connector Dual Row Straight  
Female  
**Positions:**2×8P - 2×32P





3511系列  
欧式插座 二排 直母 加长端子

Spec:Din 41612 Connector Dual Row Straight Female Lengthen Terminal

Positions:2×8P - 2×32P



3511系列  
欧式插座 二排 直公

Spec:Din 41612 Connector Dual Row Straight Male

Positions:2×8P - 2×32P



3511系列  
欧式插座 二排 弯公

Spec:Din 41612 Connector Dual Row Right Angle Male

Positions:2×8P - 2×32P



3511系列  
欧式插座 三排 母头 贴片

Spec:Din 41612 Connector Three Row Female Right Angle SMT

Positions:3×32P



3511系列  
欧式插座 三排 直公

Spec:Din 41612 Connector Three Row Straight Male

Positions:3×7P - 3×32P



3511系列  
欧式插座 三排 30+2P 圆柱 母头

Spec:Din 41612 Connector Three Row Straight Female

Positions:30+2P



3511系列  
欧式插座 三排 30+2P 圆柱 公头

Spec:Din 41612 Connector Three Row Straight Male

Positions:30+2P



3511系列  
欧式插座 三排 弯公

Spec:Din 41612 Connector Three Row Right Angle Male

Positions:3×7P - 3×32P



3511系列  
欧式插座 三排 弯母

Spec:Din 41612 Connector Three Row Right Angle Female

Positions:3×7P - 3×32P



3511系列  
欧式插座 3120 直母

Spec:Din 41612 Connector Three Row Straight Female

Positions:3×40P



3511系列  
欧式插座 3120 直公

Spec:Din 41612 Connector Three Row Straight Male

Positions:3×40P



3511系列  
欧式插座 3120 弯母

Spec:Din 41612 Connector Three Row Right Angle Female

Positions:3×40P



3511系列  
欧式插座 3120 弯公

Spec:Din 41612 Connector Three Row Right Angle Male

Positions:3×40P



3511系列  
欧式插座 三排 直母直公组合

Spec:Din 41612 Connector Three Row Straight Female Straight Male Combination

Positions:3×7P - 3×32P



3511系列  
欧式插座 348 弯公 带护套

Spec:Din 41612 Connector Three Row Right Angle Male With Sheath

Positions:3×16P



3511系列  
欧式插座 364 直公

Spec:Din 41612 Connector Three Row Straight Male

Positions:64P



3511系列  
欧式插座 364 直母

Spec:Din 41612 Connector Three Row Straight Female

Positions:64P



3511系列  
欧式插座 332 直公

Spec:Din 41612 Connector Three Row Straight Male

Positions:32P



3511系列  
欧式插座 332 直母

Spec:Din 41612 Connector Three Row Straight Female

Positions:32P



3511系列  
欧式插座 320 直公

Spec:Din 41612 Connector Three Row Straight Male

Positions:20P

# 欧式插座连接器系列

## DIN Male/Female 41612



3511系列  
欧式插座 320直母

**Spec:**Din 41612 Connector Three Row Straight Female

**Positions:**20P



3511系列  
欧式插座 332弯公

**Spec:**Din 41612 Connector Three Row Right Angle Male

**Positions:**32P



3511系列  
欧式插座 332弯母

**Spec:**Din 41612 Connector Three Row Right Angle Female

**Positions:**32P



3511系列  
欧式插座 348弯公带鱼叉

**Spec:**Din 41612 Connector Three Row Right Angle Male With harpoon

**Positions:**48P



3511系列  
欧式插座 348弯母带鱼叉

**Spec:**Din 41612 Connector Three Row Right Angle Female With harpoon


**Positions:**48P



3511系列  
欧式插座 三排 弯公

**Spec:**Din 41612 Connector Three Row Right Angle Male

**Positions:**3×7P - 3×32P



3511系列  
欧式插座 三排 直母

**Spec:**Din 41612 Connector Three Row Straight Female

**Positions:**3×7P-3×32P



3511系列  
欧式插座 三排 直母

**Spec:**Din 41612 Connector Three Row Straight Female


**Positions:**3×7P-3×32P



3511系列  
欧式插座 三排 直公

**Spec:**Din 41612 Connector Three Row Straight Male

**Positions:**3×7P-3×32P



3511系列  
欧式插座 396弯母带鱼叉

**Spec:**Din 41612 Connector Three Row Right Angle Female With harpoon

**Positions:**96P



3511系列  
欧式插座 396弯公带鱼叉

**Spec:**Din 41612 Connector Three Row Right Angle Male With harpoon

**Positions:**96P



3511系列  
欧式插座 364弯母

**Spec:**Din 41612 Connector Three Row Right Angle Female


**Positions:**64P



3511系列  
欧式插座 364弯公

**Spec:**Din 41612 Connector Three Row Right Angle Male

**Positions:**64P



3511系列  
欧式插座 三排 直母 加长端子

**Spec:**Din 41612 Connector Three Row Straight Female

**Positions:**3×7P-3×32P



3511系列  
欧式插座 三排 弯母

**Spec:**Din 41612 Connector Three Row Right Angle Female

**Positions:**3×7P - 3×32P



3511系列  
欧式插座 三排 弯母

**Spec:**Din 41612 Connector Three Row Right Angle Female

**Positions:**3×7P - 3×32P



3511系列  
欧式插座 三排 直母

**Spec:**Din 41612 Connector Three Row Straight Female

**Positions:**3×7P-3×32P



3511系列  
欧式插座 三排 弯公

**Spec:**Din 41612 Connector Three Row Right Angle Male

**Positions:**3×7P - 3×32P



3511系列  
欧式插座 三排 直公

**Spec:**Din 41612 Connector Three Row Straight Male

**Positions:**3×7P-3×32P



3511系列  
欧式插座 三排 直母 加长端子

**Spec:**Din 41612 Connector Three Row Straight Female Lengthen Terminal

**Positions:**3×7P-3×32P





3511系列  
欧式插座 三排 弯公

Spec:Din 41612 Connector Three Row Right Angle Male

Positions:3×7P - 3×32P



3511系列  
欧式插座 4128 弯母

Spec:Din 41612 Connector Four Row Right Angle Female

Positions:128P



3511系列  
欧式插座 4128 弯公

Spec:Din 41612 Connector Four Row Right Angle Male

Positions:128P



3511系列  
欧式插座 4128 直母

Spec:Din 41612 Connector Four Row Straight Female

Positions:128P



3511系列  
欧式插座 4128 直公

Spec:Din 41612 Connector Four Row Straight Male

Positions:128P



3511系列  
欧式插座 5160 弯母

Spec:Din 41612 Connector Five Row Right Angle Female

Positions:160P



3511系列  
欧式插座5160直母

Spec:Din 41612 Connector Straight Female

Positions:160P



3511系列  
欧式插座5160直公

Spec:Din 41612 Connector Straight Male

Positions:160P



3511系列  
欧式插座5160弯公

Spec:Din 41612 Connector Right Angle Male

Positions:160P



3515系列  
欧式插座 5160直公免焊式

Spec:Din 41612 Connector Straight Male Press Fit

Positions:160P



3515系列  
欧式插座 5160直母免焊式

Spec:Din 41612 Connector Straight Female Press Fit

Positions:160P



3512系列  
欧式插座 压排二排直母

Spec:Din 41612 Connector IDC Type Dual Row Straight Female

Positions:32P,64P



3512系列  
欧式插座 压排三排直母

Spec:Din 41612 Connector IDC Type Three Row Straight Female

Positions:32P



3512系列  
欧式插座 压排三排直母

Spec:Din 41612 Connector IDC Type Three Row Straight Female

Positions:64P



3511系列  
欧式插座 396弯公带免焊式端子

Spec:Din 41612 Connector Three Row Right Angle Male

Positions:96P



3511系列  
欧式插座 396弯母带免焊式端子

Spec:Din 41612 Connector Three Row Right Angle Female Press Fit

Positions:96P



3513系列  
欧式插座 高电流232 弯公

Spec:Din 41612 Connector High Current Right Angle Male

Positions:32P



3513系列  
欧式插座 高电流232 直母

Spec:Din 41612 Connector High Current Straight Female

Positions:32P



3512系列  
欧式插座H15 直母配弯公

Spec:Din 41612 Connector H15 Straight Female Right Angle Male Combination

Positions:15P



3513系列  
欧式插座 大电流348 直母低塑

Spec:Din 41612 Connector Large Current Straight Female Short plastic

Positions:48P



3513系列  
欧式插座 大电流348 直母高塑

Spec:Din 41612 Connector Large Current  
Straight Female High plastic  
Positions:48P



3513系列  
欧式插座 大电流348 弯公

Spec:Din 41612 Connector Large Current Right  
Angle Male  
Positions:48P



3515系列  
欧式插座 直公免焊式端子

Spec:Din 41612 Connector Straight Male  
Press Fit  
Positions:21-96P



3515系列  
欧式插座 直母免焊式端子

Spec:Din 41612 Connector Straight Female  
Press Fit  
Positions:21-96P



3516系列  
欧式插座直母4128转64P

Spec:Din 41612 Connector Straight Female  
Positions:4128转64P



3516系列  
欧式插座直母4128转64P

Spec:Din 41612 Connector Straight Female  
Positions:4128转64P



3510系列  
2.0 FUTURE BUS 弯母连接器

Spec:2.0 FUTURE BUS Connector Right Angle  
Female  
Positions:4 × 12P/4 × 24P



3510系列  
2.0 FUTURE BUS 直公连接器

Spec:2.0 FUTURE BUS Connector Straight  
Male  
Positions:4 × 12P



3510系列  
2.0 FUTURE BUS 直公连接器

Spec:2.0 FUTURE BUS Connector Straight  
Male  
Positions:4 × 24P



3514系列  
FUTURE BUS 大电流直公 带柱无鱼眼

Spec:Large Current FUTURE BUS Male 180°  
With Post  
Positions:2 × 4P



3514系列  
FUTURE BUS 大电流直公 无柱带鱼眼

Spec:Large Current FUTURE BUS Male 180°  
Without Solderless  
Positions:2 × 4P



3514系列  
FUTURE BUS 大电流直公 带柱带鱼眼

Spec:Large Current FUTURE BUS Male 180°  
With Post Solderless  
Positions:2 × 4P



3514系列  
FUTURE BUS 大电流弯母 无鱼眼

Spec:Large Current FUTURE BUS Female 90°  
Positions:2 × 4P



3514系列  
FUTURE BUS 大电流弯母 带鱼眼

Spec:Large Current FUTURE BUS Female 90°  
With Solderless  
Positions:2 × 4P



CPCI P1 高速连接器系列  
CPCI P1 High Speed Connector Series

Spec:2.0mm Pitch Pin Connector A+C Type  
Straight  
Positions:110P



CPCI J1 高速连接器系列  
CPCI J1 High Speed Connector Series

Spec:2.0mm Pitch Pin Connector A+C Type  
Right Angle  
Positions:110P



8310系列  
四排四芯板端母座

Spec:E-CON Female Connector



8310系列  
四排三芯板端母座

Spec:E-CON Female Connector



8310系列  
E-CON 单排三芯板端母座

Spec:E-CON Female Connector  
Positions:Single Row 3P



8310系列  
E-CON 单排四芯板端母座

Spec:E-CON Female Connector  
Positions:Single Row 4P





8310系列  
四芯板端插座

Spec:E-CON Male Connector  
Positions:4P



8310系列  
三芯板端插座

Spec:E-CON Male Connector  
Positions:3P



8310系列  
四芯线端母座

Spec:E-CON Solder Wire Female Connector  
Positions:4P



8310系列  
三芯线端母座

Spec:E-CON Solder Wire Female Connector  
Positions:3P



7310系列  
PLCC连接器 180度

Spec:PLCC Socket Connectors Straight  
Positions:20-84P



7310系列  
PLCC连接器 180度

Spec:PLCC Socket Connectors Straight  
Positions:20-84P



7310系列  
PLCC连接器 180度

Spec:PLCC Socket Connectors Straight  
Positions:20-84P



7310系列  
PLCC连接器 180度

Spec:PLCC Socket Connectors Straight  
Positions:20-84P



7310系列  
PLCC连接器 180度

Spec:PLCC Socket Connectors Straight  
Positions:20-84P



7310系列  
PLCC连接器 SMT

Spec:PLCC Socket Connectors SMT  
Positions:20-84P



7310系列  
PLCC连接器 SMT

Spec:PLCC Socket Connectors SMT  
Positions:20-84P



7310系列  
PLCC连接器 SMT

Spec:PLCC Socket Connectors SMT  
Positions:20-84P



7310系列  
PLCC连接器 SMT

Spec:PLCC Socket Connectors SMT  
Positions:20-84P



7310系列  
PLCC连接器 SMT

Spec:PLCC Socket Connectors SMT  
Positions:20-84P



7310系列  
PLCC连接器 SMT

Spec:PLCC Socket Connectors SMT  
Positions:20-84P



7210系列  
1.778mm IC 扁针 180度

Spec:1.778mm Pitch IC Socket Connector  
Straight  
Positions:8-40P



7211系列  
2.54mm IC 扁针 SMT

Spec:2.54mm Pitch IC Socket Connector SMT  
Positions:6-40P



7211系列  
2.54mm IC 扁针 180度

Spec:2.54mm Pitch IC Socket Connector  
Straight  
Positions:6-40P



4600系列  
1.7x4.15母头显示屏高速连接器

Spec:1.7x4.15 Female Header High Speed  
Transmission Connector For LED Screen  
Positions:20-100P



4600系列  
1.7x4.15公头显示屏高速连接器

Spec:1.7x4.15 Male Header High Speed  
Transmission Connector For LED Screen  
Positions:20-100P

# YFCT公座和YFCS母座/CF卡座系列

## YFCT&YFCS/CF Card Holder Series

# HCP电源座/电池座连接器系列

## HCP Power Socket/Battery Socket Connector Series



3410系列  
1.27mm YFCT公座

**Spec:**1.27mm YFCT Male Header SMT/W8.25  
**Height:**5.08mm  
**Positions:**20-200P



3410系列  
1.27mm YFCS母座

**Spec:**1.27mm YFCS Female Socket SMT/W7.1  
**Height:**4.31mm  
**Positions:**20-200P



3410系列  
1.27mm YFCT公座 SMT

**Spec:**1.27mm Pitch YFCT Male Header SMT  
**Height:**5.08/6.75/8.75/10.75mm  
**Positions:**20-200P



7410系列  
CF卡座 公头 50P 贴片 带定位片带柱

**Spec:**Compact Flash Connector Male Right  
Angle SMT  
**Positions:**50P



5110系列  
CF卡座 公头 H4.2mm 50P SMT 带定位片带柱

**Spec:**Compact Flash Connector Male H4.2mm  
SMT  
**Positions:**50P



4500系列  
HCP电源座 16+2P 公头 90度

**Spec:**HCP Power Connector Male 16+2P Right  
Angle  
**Positions:**16+2P



4500系列  
HCP电源座 16+2P 母头 90度

**Spec:**HCP Power Connector Female 16+2P  
Right Angle  
**Positions:**16+2P



4500系列  
HCP电源座 16+2P 母头 180度

**Spec:**HCP Power Connector Female 16+2P  
Straight  
**Positions:**16+2P



4500系列  
HCP电源座 4P母头 180度

**Spec:**HCP Power Connector Female 4P  
Straight  
**Positions:**4P



4500系列  
HCP电源座 4P公头 180度

**Spec:**HCP Power Connector Male 4P Straight  
**Positions:**4P



4200系列  
电池座3.1间距 3P

**Spec:**3.1mm Pitch Battery Connector Series  
**Positions:**3P



4200系列  
电池座3.1间距 3P

**Spec:**3.1mm Pitch Battery Connector Series  
**Positions:**3P



4200系列  
电池座3.1间距H2.0mm 3P

**Spec:**3.1mm Pitch Battery Connector Series  
H2.0mm  
**Positions:**3P



4200系列  
电池座2.5间距 4P

**Spec:**2.5mm Pitch Battery Connector Series  
**Positions:**4P



4200系列  
电池座2.5间距 4P

**Spec:**2.5mm Pitch Battery Connector Series  
**Positions:**4P



4200系列  
电池座3.0间距 3P

**Spec:**3.0mm Pitch Battery Connector Series  
**Positions:**3P



4200系列  
电池座3.1间距 3P

**Spec:**3.1mm Pitch Battery Connector Series  
**Positions:**3P



4200系列  
电池座3.5间距 4P

**Spec:**3.5mm Pitch Battery Connector Series  
**Positions:**4P



7420系列  
8P IC 大卡座 带金属侧盖

**Spec:**8P IC Card with Stainless Steel Connector  
Series  
**Positions:**8P



7420系列  
8P IC 大卡座

**Spec:**8P IC Card Connector Series  
**Positions:**8P





7420系列  
8P 翻盖式新模具SMT

Spec:Flip Type SMT SIM Card 8P  
Positions:8P



7420系列  
6P 翻盖式新模具SMT

Spec:Flip Type SMT SIM Card 6P  
Positions:6P



7421系列  
TF卡座外焊式

Spec:T-FLASH Card Connector PUSH-PUSH



7421系列  
TF卡座内焊式

Spec:T-FLASH Card Connector PUSH-PUSH



7420系列  
6P 短体卡座加铁壳SMT

Spec:6P Short-type with metal shell SIM Card  
Positions:6P



7420系列  
6P 短体卡座SMT

Spec:6P Short-type SIM Card  
Positions:6P



7420系列  
6P 自弹式卡座

Spec:6P SIM Card Push-Push type  
Positions:6P



7421系列  
TF卡座

Spec:Micro SD/TF Card Socket Series



7420系列  
6P 翻盖式车载专用SIM卡

Spec:Flip type SMT SIM Card 6P  
Positions:6P




7420系列  
6P 短体卡座H1.9

Spec:6P Short-type with metal shell SIM Card  
H1.9  
Positions:6P



7420系列  
6P带不锈钢SIM卡

Spec:Stainless steel flip type 6P SIM card  
Positions:6P



8110系列  
2.54mm 红色拨码开关 DIP型

Spec:2.54 Red Dial Switch DIP Type  
Positions:2P-12P



7420系列  
A卡座带盖

Spec:Push-type SMT Card  
Positions:8P



7420系列  
A卡座带盖

Spec:Push-type SMT Card  
Positions:8P



5240系列  
0.5mm FPC 连接器 SMT 上接触

Spec:0.5mm FPC Connector SMT Upper  
contact Type  
Positions:4P-50P



5240系列  
0.5mm FPC 连接器 SMT 下接触

Spec:0.5mm FPC Connector SMT Bottom  
contact Type  
Positions:4P-50P



5230系列  
1.0mm FPC 连接器 B型 90度

Spec:1.0mm FPC Connector B-Type Right  
Angle  
Positions:4P-36P



5230系列  
1.0mm FPC 连接器 B型 180度

Spec:1.0mm FPC Connector B-Type Straight  
Positions:4P-36P



5230系列  
1.0mm FPC 连接器 SMT 上接触

Spec:1.0mm FPC Connector SMT Upper  
contact Type  
Positions:4P-36P



5230系列  
1.0mm FPC 连接器 SMT 下接触

Spec:1.0mm FPC Connector SMT Bottom  
contact Type  
Positions:4P-36P

**FPC连接器系列**  
FPC Connector Series

**SATA连接器系列**  
SATA Connector Series



5230系列  
1.0mm FPC 连接器 SMT

**Spec:**1.0mm FPC Connector SMT  
**Positions:**4P-36P



5220系列  
1.25mm FPC 连接器 B型 180度

**Spec:**1.25mm FPC Connector B-Type Straight  
**Positions:**4P-36P



5220系列  
1.25mm FPC 连接器 B型 90度

**Spec:**1.25mm FPC Connector B-Type Right Angle  
**Positions:**4P-36P



5210系列  
2.54mm FPC 连接器 90度

**Spec:**2.54mm FPC Connector Right Angle  
**Positions:**4P-33P



5210系列  
2.54mm FPC 连接器 180度

**Spec:**2.54mm FPC Connector Straight  
**Positions:**4P-33P



1007M系列  
SATA 7P A/B型 全塑SMT带鱼叉

**Spec:**SATA Male 7P Plug A/B Type with Wholly Plastic Body



1007M系列  
SATA 7P 带金属壳180度

**Spec:**SATA Male 7P Plug with Metal Shell Straight



1007M系列  
SATA 7P 正向90度带鱼叉

**Spec:**SATA Male 7P Plug dip type Right Angle with Harpoon



1007M系列  
SATA 7P 正向90度SMT带鱼叉

**Spec:**SATA Male 7P Plug Right Angle SMT with Harpoon



1007M系列  
SATA 7P A/B型 双柱插板式带鱼叉

**Spec:**SATA Male 7P Plug A/B Type Straight with Harpoon



1007M系列  
SATA 7P 三面90度SMT带鱼叉

**Spec:**SATA Male 7P Plug Right Angle SMT with Harpoon



1007M系列  
SATA 7P 三面包圆柱开天窗SMT

**Spec:**SATA Male 7P Plug SMT with Post



1007M系列  
SATA 7P 三面包圆柱开天窗180度

**Spec:**SATA Male 7P Plug Straight with Post



1007M系列  
SATA 7P 三面包圆柱开天窗180度

**Spec:**SATA Male 7P Plug Straight with Post



1013F系列  
SATA 7+6P母头180度DIP

**Spec:**SATA Female 7+6P Plug Straight



1013M系列  
SATA 7+6P公头SMT带柱

**Spec:**SATA Male 7+6P Plug SMT with Post



1013M系列  
SATA 7+6P公头SMT带圆环接地片

**Spec:**SATA Male 7+6P Plug SMT with Circle ground lug



1015M系列  
SATA 15P公头90度DIP

**Spec:**SATA Male 15P Plug Right Angle



1015M系列  
SATA 15P公头180度DIP

**Spec:**SATA Male 15P Plug Straight



1022F系列  
SATA 7+15P母头加高型180度DIP

**Spec:**SATA Female 7+15P Plug Straight





1022F系列  
SATA 7+15P母头双排脚DIP型带鱼叉  
Spec:SATA Female 7+15P Plug Dual Rown  
Straight with harpoon



1022F系列  
SATA 7+15P母头180度DIP  
Spec:SATA Female 7+15P Plug Straight



1022F系列  
SATA 7+15P母头H6.74板上SMT  
Spec:SATA Female 7+15P Plug H6.74 SMT



1022M系列  
SATA 7+15P公头卧贴带鱼叉  
Spec:SATA Male 7+15P Plug Right Angle SMT  
with Harpoon



1022M系列  
SATA 7+15P公头夹板式  
Spec:SATA Male 7+15P Plug Plate type



1022M系列  
SATA 7+15P公头90度带鱼叉  
Spec:SATA Male 7+15P Plug Right Angle  
with Harpoon



1022F系列  
SATA 7+15P母头H4.2板上SMT  
Spec:SATA Female 7+15P Plug H4.2 SMT



1022F系列  
SATA 7+15P母头H4.2板下SMT  
Spec:SATA Female 7+15P Plug H4.2 SMT



1022F系列  
SATA 7+15P母头90度带定位柱  
Spec:SATA Female 7+15P Plug Right Angle  
with Post



1022F系列  
SATA 7+15P母头90度  
Spec:SATA Female 7+15P Plug Right Angle



1022F系列  
SATA 7+15P母头180度  
Spec:SATA Female 7+15P Plug Straight



3615系列  
POGO PIN公母座系列  
Spec:2.5x2.5mm POGO PIN Female/Male  
Connector Straight  
Positions:2-40P



7100系列  
1.27间距SMC立贴公座  
Spec:1.27mm Pitch SMC SMT Male Socket  
Connector



7100系列  
1.27间距SMC立贴公座  
Spec:1.27mm Pitch SMC SMT Male Socket  
Connector



7100系列  
1.27间距SMC立贴母座  
Spec:1.27mm Pitch SMC SMT Female Socket  
Connector



7100F系列  
1.27 E型连接器母头  
Spec:1.27mm Pitch SMC SMT Female Socket  
Connector



7100系列  
1.27间距SMC卧贴母座  
Spec:1.27mm Pitch SMC 90°SMT Female  
Socket Connector



7100系列  
1.27间距SMC卧贴公座  
Spec:1.27mm Pitch SMC 90°SMT Male Socket  
Connector



7100系列  
1.27间距SMC压线式母头  
Spec:1.27mm Pitch SMC Crimping-Type  
Female Plug  
Positions:10-100P



8200系列  
MINI PCI 20P连接器 卧贴

Spec:MINI PCI 20P Right Angle SMT  
Connector Series  
Positions:20P



6215系列  
SFP 屏蔽罩

Spec:SFP Shielding cover



5100系列  
PCMC连接器 SMT

Spec:PCMC SMT Connector Series  
Positions:50/68P




6211F系列  
HDMI 母头 带定位片带圆形孔卧贴

Spec:HDMI Female 19P Plug Right Angle  
SMT with locating



6211F系列  
HDMI 母头 带定位柱卧贴

Spec:HDMI Female 19P Plug Right Angle SMT  
with Post



6211F系列  
HDMI 母头 90度

Spec:HDMI Female 19P Plug Right Angle



6211F系列  
HDMI 母头 卧贴

Spec:HDMI Female 19P Plug Right Angle SMT




6234A系列  
IDC-RJ45H工业网络插头 (黄色)

Spec:IDC-RJ45H Industrial Network  
Plug(Yellow)  
Positions:8P



6234B系列  
IDC-RJ45H工业网络插头 (红色\蓝色)

Spec:IDC-RJ45H Industrial Network  
Plug(Red\Blue)  
Positions:4P



6211F系列  
HDMI 母头 90度带定位柱

Spec:HDMI Female 19P Plug Right Angle with  
post



6234系列  
RJ45+双层USB 90度带定位片

Spec:RJ45+Double Layer USB Connector  
Right Angle



6234系列  
RJ45双层90度带定位柱

Spec:RJ45 Double with Post Right Angle



6234系列  
RJ45 90度带定位柱带LED灯

Spec:RJ45 with Post and with LED lights  
Right Angle



6234系列  
RJ45 90度带定位柱

Spec:RJ45 with Post Right Angle



6211F系列  
USB双层母头 180度

Spec:USB Double Female Plug Straight



6211F系列  
USB 3.0母头 180度

Spec:USB 3.0 Female Plug Straight



6211F系列  
USB双层母头 90度

Spec:USB Double Female Plug Right Angle



6211M系列  
USB 公头 B型 90度

Spec:USB Male Plug B-Type Right Angle



6211F系列  
USB母头 180度

Spec:USB Female Plug Straight



6211F系列  
USB母头 90度

Spec:USB Female Plug Right Angle Black  
Plastic





6211F系列  
USB 3.0母头 90度

Spec:USB 3.0 Female Plug Right Angle Blue Plastic



6211F系列  
USB 3.0 双层母头 90度

Spec:USB 3.0 Double Female Plug Right Angle Blue Plastic



6211F系列  
USB 3.0母头 90度加长型

Spec:USB 3.0 Female Plug Right Angle Blue Plastic




6211M系列  
USB公头 180度 B型

Spec:USB Male Plug Straight B-type



6211F系列  
USB母头 90度

Spec:USB Female Plug Right Angle White Plastic



6233F系列  
MINI USB母头 5P SMT带柱

Spec:MINI USB Female Plug 5P SMT B Type



6211F系列  
USB 3.0母头 180度 焊线式

Spec:USB 3.0 Female Plug Solder Type



6233F系列  
MINI USB母头 5P 180度

Spec:MINI USB Female Plug 5P Straight B Type



6211F系列  
USB 3.0母头 卧贴

Spec:USB 3.0 Female Plug Right Angle SMT Blue Plastic



6233F系列  
Micro USB母头 5P SMT带柱

Spec:Micro USB Female Plug 5P SMT B Type



6235F系列  
双层D SUB 9母头 带螺丝 90度

Spec:Double D-sub 9P Female with Screw Right Angle



6235F系列  
D SUB 15母头 带螺丝 90度

Spec:D SUB 15P Female with Screw Right Angle



6235M系列  
D SUB 15公头 带螺丝 90度

Spec:D SUB 15P Male with Screw Right Angle



6235F系列  
HDR 15母头 带螺丝 90度

Spec:HDR 15P Female with Screw Right Angle



6235M系列  
HDR 15公头 带螺丝 90度

Spec:HDR 15P Male with Screw Right Angle



6235F系列  
HDP 44母头 180度鱼叉

Spec:HDP 44P Female Straight with Harpoon



6235M系列  
HDP 44公头 180度鱼叉

Spec:HDP 44P Male Straight with Harpoon



6235M系列  
HDP 50公头 180度鱼叉

Spec:HDP 50P Male Straight with Harpoon



6235F系列  
HDP 50母头 180度鱼叉

Spec:HDP 50P Female Straight with Harpoon



6235F系列  
DP 25母头 180度鱼叉

Spec:DP 25P Female Straight with Harpoon

# D\_Sub连接器系列

## D\_Sub Connector Series

# D\_Sub锌合金外壳系列

## D\_Sub Zincy Alloy Shell Series



6235M系列  
DP 25公头 180度鱼叉

Spec:DP 25P Male Straight with Harpoon



6235F系列  
DP 15母头 180度鱼叉

Spec:DP 15P Female Straight with Harpoon



6235M系列  
DP 15公头 180度鱼叉

Spec:DP 15P Male Straight with Harpoon



6235F系列  
DB 25母头 焊线式

Spec:DB 25P Female Solder Type



6235M系列  
DB 25公头 焊线式

Spec:DB 25P Male Solder Type



6235F系列  
DB 37母头 压线式

Spec:DB 37P Female IDC Type



6235M系列  
DB 37公头 压线式

Spec:DB 37P Male IDC Type



6235M系列  
大电流D\_SUB 13W6公头 90度DIP

Spec:Machine Dsub 13W6 Male Right Angle DIP



6235F系列  
大电流D\_SUB 13W6母头 180度DIP

Spec:Machine Dsub 13W6 Female Straight DIP



6235F系列  
大电流D\_SUB 7W2母头 180度焊线式

Spec:Machine Dsub 7W2 Female Solder Type



6235M系列  
大电流D\_SUB 3W3公头 180度焊线式

Spec:Machine Dsub 3W3 Male Solder Type



锌合金系列  
DB9T-D型锌合金外壳DM232+螺丝配件+黑线圈

Spec:DB9T-D type Zinc alloy shell DM232 + screw parts+black coil

Positions:9Pin



锌合金系列  
DB9P-H型锌合金外壳+螺丝配件

Spec:DB9P-H type Zinc alloy shell +screw parts

Positions:9Pin



锌合金系列  
DB9T-D型锌合金外壳DM232+螺丝配件

Spec:DB9T-D type Zinc alloy shell DM232 + screw parts+black coil

Positions:9Pin



锌合金系列  
DB9P-T型锌合金外壳+螺丝配件

Spec:DB9T-D type Zinc alloy shell +screw parts

Positions:9Pin



锌合金系列  
DB15T-D型锌合金外壳DM232+螺丝配件

Spec:DB15T-D type Zinc alloy shell DM232 + screw parts+black coil

Positions:15Pin



锌合金系列  
DB25T-D型锌合金外壳DM232+螺丝配件

Spec:DB25T-D type Zinc alloy shell DM232 + screw parts+black coil

Positions:25Pin



锌合金系列  
DB37T-D型锌合金外壳DM232+螺丝配件

Spec:DB37T-D type Zinc alloy shell DM232 + screw parts+black coil

Positions:37Pin



锌合金系列  
F型 DB9P锌合金直出口外壳+线夹+螺丝配件

Spec:F type DB9P Zinc alloy shell with straight exit+clip +screw parts

Positions:9Pin



锌合金系列  
F型 DB9P锌合金斜出口外壳+线夹+螺丝配件

Spec:F type DB9P Zinc alloy shell with oblique exit+clip +screw parts

Positions:9Pin





锌合金系列  
F型 DB15P 锌合金外壳+线夹+螺丝配件

Spec:F type DB15P Zinc alloy shell +clip + screw parts

Positions:15Pin



锌合金系列  
F型 DB25P 锌合金外壳+线夹+螺丝配件

Spec:F type DB25P Zinc alloy shell +clip + screw parts

Positions:25Pin



1001系列  
1.0mm wafer SMT

Spec:1.0mm Pitch Wafer SMT

Positions:2-50P



1251系列  
1.25mm wafer 180度

Spec:1.25mm Pitch Wafer Straight Dip

Positions:2-15P



1251系列  
1.25mm wafer 90度

Spec:1.25mm Pitch Wafer Right Angle Dip

Positions:2-15P



1251系列  
1.25mm wafer 立贴

Spec:1.25mm Pitch Wafer Straight SMT

Positions:2-15P



1251系列  
1.25mm wafer 卧贴

Spec:1.25mm Pitch Wafer Right Angle SMT

Positions:2-15P



1251系列  
1.25mm 破锡端子


Spec:1.25mm Terminal



1251系列  
1.25mm 胶壳

Spec:1.25mm Pitch Housing

Positions:2-15P



1271系列  
1.27mm间距带锁扣胶壳

Spec:1.27mm Pitch Housing

Positions:2-15P



1271系列  
1.27mm间距带锁扣针座

Spec:1.27mm Pitch Wafer

Positions:2-15P



1502系列  
1.5mm wafer 180度

Spec:1.5mm Pitch Wafer Straight Dip

Positions:2-15P



1502系列  
1.5mm wafer 90度

Spec:1.5mm Pitch Wafer Right Angle Dip

Positions:2-15P



1503系列  
1.5mm wafer 90度SMT

Spec:1.5mm Pitch Wafer Right Angle SMT

Positions:2-6P



2002系列  
2.0mm PHSD胶壳

Spec:2.0mm Pitch Housing

Positions:2×4-2×30P



2501系列  
2.5mm XH wafer 180度

Spec:2.5mm Pitch XH Wafer Straight Dip

Positions:2-15P



2002系列  
2.0mm PHSD wafer 180度

Spec:2.0mm Pitch Wafer Straight Dip

Positions:2×4-2×30P



2004系列  
2.0mm PHD wafer 90度

Spec:2.0mm Pitch PHD Wafer Right Angle Dip

Positions:2×4-2×30P



2001系列  
2.0mm PH wafer 180度

Spec:2.0mm Pitch PH Wafer Straight Dip

Positions:2-16P



2001系列  
2.0mm PH wafer 180度

Spec:2.0mm Pitch PH Wafer Straight Dip

Positions:2-16P

# Wafer针座/Housing胶壳连接器系列

## Wafer/Housing Connector Series



2001系列  
2.0mm PH 胶壳

**Spec:**2.0mm Pitch Housing  
**Positions:**2-16P



2001系列  
2.0mm PH 胶壳

**Spec:**2.0mm Pitch Housing  
**Positions:**2-16P



2004系列  
2.0mm PHD wafer 180度

**Spec:**2.0mm Pitch PHD Wafer Straight Dip  
**Positions:**2×4-2×30P



2004系列  
2.0mm PHD 胶壳

**Spec:**2.0mm Pitch Housing  
**Positions:**2×4-2×30P



1251系列  
1.25mm wafer 180度

**Spec:**1.25mm Pitch Wafer Straight Dip  
**Positions:**2-15P



2001系列  
2.0mm PH-NAW wafer 90度 打K

**Spec:**2.0mm Pitch PH Wafer Right Angle Dip with Kinded Pin  
**Positions:**2-16P



2001系列  
2.0mm PH-NAW wafer 90度

**Spec:**2.0mm Pitch PH Wafer Right Angle Dip  
**Positions:**2-16P



2001系列  
2.0mm PH-NAW wafer 90度 打K

**Spec:**2.0mm Pitch PH Wafer Right Angle Dip with Kinded Pin  
**Positions:**2-16P



JL2012R系列  
2.0mm 90° Wafer针座

**Spec:**2.0mm Pitch Wafer 90°Connector  
**Positions:**02-15P



JL2012H系列  
2.0mm Wafer胶壳

**Spec:**2.0mm Pitch Wafer Housing Connector  
**Positions:**02-15P



JL2011Z系列  
2.0WTB-卧贴针座

**Spec:**2.0mm Pitch WTB Wafer 90°SMT Connector  
**Positions:**02-15P



JL2011M系列  
2.0WTB-立贴针座

**Spec:**2.0mm Pitch WTB Wafer SMT Connector  
**Positions:**02-15P



JL2011H系列  
2.0WTB-Wafer胶壳

**Spec:**2.0mm Pitch WTB Wafer Housing Connector  
**Positions:**02-15P



JL2011T系列  
2.0WTB胶壳端子

**Spec:**2.0mm Pitch WTB Wafer Terminal



2501系列  
2.5mm XH-NAW wafer 90度

**Spec:**2.5mm Pitch XH Wafer Right Angle Dip  
**Positions:**2-15P



2501系列  
2.5mm XH-NAW wafer 90度 打K

**Spec:**2.5mm Pitch XH Wafer Right Angle Dip with Kinded Pin  
**Positions:**2-15P



2501系列  
2.5mm XH 胶壳

**Spec:**2.5mm Pitch Housing  
**Positions:**2-15P



2542系列  
2.54mm A型 wafer 90度

**Spec:**2.54mm Pitch A-Type Wafer Right Angle Dip  
**Positions:**3P



JL25410Z系列  
2.54mm WTB-卧贴针座

**Spec:**2.54mm Pitch WTB Wafer 90°SMT Connector  
**Positions:**02-15P



JL25410M系列  
2.54mm WTB-立贴针座

**Spec:**2.54mm Pitch WTB Wafer SMT Connector  
**Positions:**02-15P





2541系列  
2.54mm MX2510 wafer 180度

Spec:2.54mm Pitch Wafer Straight Dip  
Positions:2-20P



2541系列  
2.54mm MX2510 wafer 90度

Spec:2.54mm Pitch Wafer Right Angle Dip  
Positions:2-20P



3001系列  
MX3.0 wafer 单排 90度

Spec:3.0mm Pitch Wafer Single Row Right  
Angle Dip  
Positions:2-12P



3001系列  
MX3.0 wafer 单排 90度SMT

Spec:3.0mm Pitch Wafer Single Row Right  
Angle SMT  
Positions:2-12P



3001系列  
MX3.0 wafer 双排 SMT带定位片

Spec:3.0mm Pitch Wafer Dual Row SMT  
Positions:2×1-2×12P



3001系列  
MX3.0 wafer 双排 90度带柱

Spec:3.0mm Pitch Wafer Dual Row Right  
Angle  
Positions:2×1-2×12P



3001系列  
MX3.0 wafer 双排 90度SMT带定位片

Spec:3.0mm Pitch Wafer Dual Row Right  
Angle SMT  
Positions:2×1-2X12P



3961系列  
VH3.96 wafer SMT

Spec:3.96mm Pitch VH Wafer SMT  
Positions:2-16P



3961系列  
VH3.96 wafer 加高型 卧贴

Spec:3.96mm Pitch VH Wafer Right Angle  
SMT  
Positions:2-16P



3961系列  
VH3.96 wafer 90度

Spec:3.96mm Pitch VH Wafer Right Angle  
Positions:2-16P



3961系列  
VH3.96 wafer 180度

Spec:3.96mm Pitch VH Wafer Straight  
Positions:2-16P



3961系列  
3.96mm VH 胶壳

Spec:3.96mm Pitch Housing  
Positions:2-16P



3961系列  
3.96mm 镀锡端子

Spec:3.96mm Terminal



4201系列  
4.2mm wafer 双排实心针 90度带柱

Spec:4.2mm Pitch Wafer Right Angle Dip  
with Post  
Positions:2×1-2×12P



4201系列  
4.2mm wafer 双排空心针 180度

Spec:4.2mm Pitch Wafer Straight Dip  
Positions:2×1-2×12P



4201系列  
4.2mm wafer 双排空心针 180度带柱

Spec:4.2mm Pitch Wafer Straight Dip with  
Post  
Positions:2×1-2×12P



4201系列  
4.2mm wafer 双排实心针 180度

Spec:4.2mm Pitch Wafer Straight Dip  
Positions:2×1-2×12P



4201系列  
4.2mm wafer 双排实心针 90度带柱

Spec:4.2mm Pitch Wafer Right Angle Dip with  
Post  
Positions:2×1-2×12P



4201系列  
4.2mm wafer 双排实心针 90度

Spec:4.2mm Pitch Wafer Right Angle Dip  
Positions:2×1-2×12P



4201系列  
4.2mm 母胶壳

Spec:4.2mm Pitch Housing  
Positions:2×1-2×12P

# Wafer针座/Housing胶壳连接器系列

## Wafer/Housing Connector Series



4201系列  
4.2mm 镀锡公端子

Spec:4.2mm Terminal



3001系列  
3.0mm 母胶壳

Spec:3.0mm Pitch Housing  
Positions:2X1-2X12P



3001系列  
3.0mm 镀锡公端子

Spec:3.0mm Terminal



4201系列  
4.2mm 公胶壳

Spec:4.2mm Pitch Housing  
Positions:2X1-2X12P



4201系列  
4.2mm 镀锡母端子

Spec:4.2mm Terminal



5081系列  
5.08mm 胶壳

Spec:5.08mm Pitch Housing  
Positions:4P



5081系列  
5.08 wafer 180度 大4P

Spec:5.08mm Pitch Wafer Straight  
Positions:4P



5082系列  
MX5.08 wafer 180度

Spec:MX5.08mm Pitch Wafer Straight  
Positions:2P-12P



5082系列  
MX5.08 wafer 90度

Spec:MX5.08mm Pitch Wafer Right Angle  
Positions:2P-12P



5081系列  
5.08 wafer 90度 大4P

Spec:5.08mm Pitch Wafer Right Angle  
Positions:4P





A5083系列  
2.50mm间距新能源、数控插拔式  
连接器双排插头

Spec:2.50mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row Plug

Positions:2X(3/4)P



A5083系列  
2.50mm间距新能源、数控插拔式  
连接器单排插头

Spec:2.50mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Single Row Plug

Positions:3P



A2503系列  
2.50mm间距新能源、数控插拔式  
连接器双排插头

Spec:2.50mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row Plug

Positions:2X6P



A3813系列  
3.81mm间距新能源、数控插拔式  
连接器双排插头

Spec:3.81mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row Plug

Positions:2X3P



A5083系列  
3.81mm间距新能源、数控插拔式  
连接器单排插头

Spec:3.81mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Single Row Plug

Positions:3P



A5083系列  
3.81mm间距新能源、数控插拔式  
连接器双排插头

Spec:3.81mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row Plug

Positions:2X(6/10)P



A5083系列  
5.08mm间距新能源、数控插拔式  
连接器双排插头

Spec:5.08mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row Plug

Positions:2X3P



A5083系列  
5.08mm间距新能源、数控插拔式  
连接器单排插头

Spec:5.08mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Single Row Plug

Positions:2/3/4/5/6P



A5083系列  
5.08mm间距新能源、数控插拔式  
连接器插头

Spec:5.08mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Plug

Positions:1x2P/2x2P



A3813系列  
10.16mm间距新能源、数控插拔式  
连接器双排插头

Spec:10.16mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row Plug

Positions:2X2P



8600系列  
2.50mm间距新能源、数控插拔式  
连接器单排插座

Spec:2.50mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Single Row Pin Socket

Positions:3P



8600系列  
2.50mm间距新能源、数控插拔式  
连接器双排插座

Spec:2.50mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row Pin Socket

Positions:2X(3/4)P



8600系列  
2.50mm间距新能源、数控插拔式  
连接器双排90°插座

Spec:2.50mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row 90° Pin Socket

Positions:2X(2/4/5/6)P



8600系列  
3.81mm间距新能源、数控插拔式  
连接器单排插座

Spec:3.81mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Single Row Pin Socket

Positions:3P



8600系列  
3.81mm间距新能源、数控插拔式  
连接器双排插座

Spec:3.81mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row Pin Socket

Positions:2X(6/10)P



8600系列  
3.81mm间距新能源、数控插拔式  
连接器双排插座

Spec:3.81mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row Pin Socket

Positions:2X3P



8600系列  
3.81mm间距新能源、数控插拔式  
连接器双排90°插座

Spec:3.81mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row 90° Pin Socket

Positions:2X(4/6)P



8600系列  
5.08mm间距新能源、数控插拔式  
连接器双排插座

Spec:5.08mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row Pin Socket

Positions:2X(6/10)P



8600系列  
5.08mm间距新能源、数控插拔式  
连接器双排插座

Spec:5.08mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row Pin Socket

Positions:2X(6/10)P



8600系列  
5.08mm间距新能源、数控插拔式  
连接器双排插座

Spec:5.08mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Dual Row Pin Socket

Positions:2X3P

# 新能源汽车/储能连接器系列

## New Energy Vehicles/Energy Storage Connectors Series



8600系列  
5.08mm间距新能源、数控插拔式  
连接器单排插座

**Spec:**5.08mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Single Row Pin Socket  
**Positions:**3/4P



8600系列  
5.08mm间距新能源、数控插拔式  
连接器单排插座

**Spec:**5.08mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Single Row Pin Socket  
**Positions:**2P



8600系列  
5.08mm间距新能源、数控插拔式  
连接器单排90°插座

**Spec:**5.08mm Pitch New-Energy and  
Numerical-Control Plug-And-Play Type  
Connector Single Row 90°Pin Socket  
**Positions:**2/3/4/5/6P



92202MR系列  
4.0mm间距BMS启动电池4P 180°  
插座连接器

**Spec:**4.0mm Pitch BMS Start Battery 180°  
Socket Connector  
**Positions:**4P



94001H系列  
4.0mm间距BMS启动电池4P插头连接器

**Spec:**4.0mm Pitch BMS Start Battery Plug  
Connector  
**Positions:**4P



92202MR系列  
2.2mm\*3.0mm BMS信号连接器  
90°公座 错位款

**Spec:**2.2x3.0mm Pitch Automotive 90°Socket  
Connector Unaligned-Type  
**Positions:**12-40P



92202MR系列  
2.2mm\*3.0mm BMS信号  
连接器插头 错位款

**Spec:**2.2x3.0mm Pitch Automotive Plug  
Connector Unaligned-Type  
**Positions:**12-40P



92202MR系列  
2.2mm\*3.0mm BMS信号连接器90°  
公座 平齐款

**Spec:**2.2\*3.0mm BMS Signal Connector 90°  
Male Socket Aligned-Type  
**Positions:**12-40P



92202MR系列  
2.2mm\*3.0mm BMS信号  
连接器插头 平齐款

**Spec:**2.2\*3.0mm BMS Signal Connector  
Plug Aligned-Type  
**Positions:**12-40P



92201T系列  
2.2mmx3.0mm汽车连接器插头端子

**Spec:**2.2x3.0mm Pitch Automotive Plug  
Terminal



93001系列  
3.0mm间距 汽车密封插头插座连接器

**Spec:**3.0mm Pitch Automotive Sealing Plug  
and Socket Connector  
**Positions:**26/34P



93001系列  
3.0mm间距 汽车密封(26芯/34芯)插头,  
26芯+34芯插座连接器

**Spec:**3.0mm Pitch Automotive Sealing Plug  
and Socket 26P+34P Connector  
**Positions:**(26P+34P Socket)/(26P、34P Plug)



94002系列  
4.0mm间距 汽车密封插头插座连接器

**Spec:**4.0mm Pitch Automotive Sealing Plug  
and Socket Connector  
**Positions:**14/35P



汽车ECU模块信号+电源90° 插座连接器

**Spec:**Automotive ECU Module Single+Power  
90°Socket Connector  
**Positions:**28P



汽车ECU模块8+40芯90° 插座连接器

**Spec:**Automotive ECU Module 8+40P 90°  
Socket Connector  
**Positions:**8+40P



汽车ECU模块34芯90° 插座连接器

**Spec:**Automotive ECU Module 34P 90°  
Socket Connector  
**Positions:**34P



汽车ECU模块34芯插头连接器

**Spec:**Automotive ECU Module 34P Plug  
Connector  
**Positions:**34P



汽车变速箱插座连接器

**Spec:**Automotive Gearbox Socket Connector  
**Positions:**12P



新能源汽车防水高压MSD开关

**Spec:**Waterproof High Voltage MSD Switch  
For New Energy Vehicles



2.0mm间距车用WTB双排贴片插座连接器

**Spec:**2.0mm Pitch Automotive  
WTB(Wire To Board) 90°SMT Socket  
Connector  
**Positions:**8P-40P





小型电源90°母座连接器

Spec:Mini Power 90°Female Socket Connector

Positions:2P



小型电源90°公座连接器

Spec:Mini Power 90°Male Socket Connector

Positions:2P



RJ45双网口90°连接器

Spec:RJ45 Dual Port 90°Connector

Positions:8P



RJ45 90°防水插头连接器

Spec:RJ45 90°Waterproof Plug Connector

Positions:8P



RJ45 180°防水插头连接器

Spec:RJ45 180°Waterproof Plug Connector

Positions:8P



高压互锁插头连接器

Spec:High Voltage Interlocking Plug Connector

Positions:2P



单芯高压互锁插头连接器

Spec:Single Core High Voltage Plug Interlocking Connector

Positions:1P



大电流储能连接器

Spec:High Current Energy Storage Connector



高压储能插头连接器

Spec:High Voltage Energy Storage Plug Connector

Positions:2P



350A大电流储能柜接线柱端子

Spec:350A High Current Energy Storage Cabinet Terminal Block

Positions:2P

# 航空插座、插头连接器系列

## Aviation Socket&Plug Connector Series



6370系列  
航空插座YD28-4芯方座

**Spec:**YD28 Square Aviation Socket Connector  
**Positions:**4P



6370系列  
航空插头YD28-4芯直角弯头

**Spec:**YD28 90°Aviation Plug Connector  
**Positions:**4P



6370系列  
航空插头YD28-15芯直角弯头

**Spec:**YD28 90°Aviation Plug Connector  
**Positions:**15P



6370系列  
航空插座YD28-15芯方座

**Spec:**YD28 Square Aviation Socket Connector  
**Positions:**15P



6360系列  
航空插头5015 9芯弯头  
(JMS3108A-18-10S)

**Spec:**5015 90°Aviation Plug Connector  
(JMS3108A-18-10S)  
**Positions:**4P



6360系列  
航空插座5015 4芯方座  
(JMS3102A-18-10P)

**Spec:**5015 Square Aviation Socket Connector  
(JMS3102A-18-10P)  
**Positions:**4P



6360系列  
航空插座5015 6芯方座  
(JMS3102A-22-22P)

**Spec:**5015 Square Aviation Socket Connector  
(JMS3102A-22-22P)  
**Positions:**4P



6360系列  
航空插头5015 9芯弯头  
(JMS3108A-20-18S)

**Spec:**5015 90°Aviation Plug Connector  
(JMS3108A-20-18S)  
**Positions:**9P



6360系列  
航空插座5015 9芯方座  
(JMS3102A-20-18P)

**Spec:**5015 Square Aviation Socket Connector  
(JMS3102A-20-18P)  
**Positions:**9P



6360系列  
航空插座5015 9芯方座  
(JMS3102A-24-11P)

**Spec:**5015 Square Aviation Socket Connector  
(JMS3102A-24-11P)  
**Positions:**9P



6360系列  
航空插座5015 6芯方座  
(JMS3102A-20-22P)

**Spec:**5015 Square Aviation Socket Connector  
(JMS3102A-20-22P)  
**Positions:**6P



6360系列  
航空插头5015 6芯弯头  
(JMS3108A-20-22S)

**Spec:**5015 90°Aviation Plug Connector  
(JMS3108A-20-22S)  
**Positions:**6P



6360系列  
航空插座5015 17芯方座  
(JMS3102A-20-29P)

**Spec:**5015 Square Aviation Socket Connector  
(JMS3102A-20-29P)  
**Positions:**17P



6360系列  
航空插座5015 22芯方座  
(JMS3108A-28-11P)

**Spec:**5015 Square Aviation Socket Connector  
(JMS3108A-28-11P)  
**Positions:**22P



CM10系列  
航空插头/插座连接器

**Spec:**Aviation Plug/Socket Connector CM10 Series  
**Positions:**2P/10P



M15系列  
航空插头连接器

**Spec:**Aviation Plug Connector M15 Series  
**Positions:**2P



M12A圆形航空插座连接器 母座

**Spec:**M12A Circular Aviation Socket Connector Female-Socket  
**Positions:**5P



M12D圆形航空插座连接器带接地 公/母座

**Spec:**M12D Circular Aviation Socket Connector With Grounding Female-Socket  
**Positions:**4/5P



M22圆形航空插座连接器 公/母座

**Spec:**M22 Circular Aviation Socket Connector Male/Female-Socket  
**Positions:**5P



M12圆形航空插头连接器 公/母头

**Spec:**M12 Circular Aviation Plug Connector Male/Female-Plug  
**Positions:**5P





M16圆形航空插头连接器 公/母头

Spec:M16 Circular Aviation Plug Connector

Male/Female-Plug

Positions:10+2P

电子线/灰排线系列  
Wire Harness/Flat cable Series



Wire harness



Terminal blocks wire harness



Wire harness



Wire harness



Wire harness



Wire harness



Wire harness



Wire harness



Wire harness



Wire harness



Wire harness



1Wire harness



Wire harness



Wire harness




Wire harness



Flat cable



Flat cable



Flat cable




Micro match flat cable



Flat cable







## 深圳市锦凌电子有限公司

SHENZHEN JINLING ELECTRONICS CO.,LTD.

地址: 深圳市宝安区航城街道九围社区九围第三工业区5号F栋厂房

ADD: Building F, No. 5, Jiuwei Third Industrial Zone, Jiuwei Community, Hangcheng Street, Bao'an District, Shenzhen

Switch board: +86-755-27483253 29975806

Tel: +86-755-29975806

Fax: +86-755- 29975588

Https://www.szjln.en.alibaba.com

Https://www.jinlingdz.com

E-mail: jinling.899@163.com

Https://www.szjln.com/ E-mail: szjinling@szjln.com

## 深圳营业部

SHENZHEN BUSINESS DEPARTMENT:

地址: 深圳市福田区华强北街道华航社区华强北路1005、1007、1015号华强电子世界2号楼1层21C070

ADD:21C070, Floor 1, Building 2, Huaqiang Electronics World, No. 1005, 1007, 1015, Huaqiang North Road, Huahang Community, Huaqiang North Street, Futian District, Shenzhen

Tel: +86-755- 83030478 Fax: +86-755-83687709

阿里巴巴国际站:https://szjln.en.alibaba.com

各地经销代理

